

NOTICE INVITING TENDER
NO.: CUJ/OSD(PROJECT)/2012-13/APR-03

Date: 19/04/2012

OSD (Project) invites on behalf of Central University of Jharkhand, Brambe, Ranchi – 835205, sealed tenders from approved and eligible manufacturers/ contractors of CPWD/PWD ,and those of approved list of Central University of Jharkhand who are conversant to execute the works as under:

Name of Work	CONSTRUCTION OF DRAIN, SOAK PIT & PROVIDING AND FIXING OF HAND WASH BASIN AT CENTRAL UNIVERSITY OF JHARKHAND, BRAMBE, RANCHI.
Date of issue of Tender Document	20/04/2012 to 11/05/2012 (9:30am to 4:30pm)
Date of Submission Tender Document	On 14/05/2012 upto 2:00pm at Central University of Jharkhand, City Centre, Kanke Road, Ranchi- 834008
Date/Time of opening of tender	On 14/05/2012 at 2:30pm
Time Allowed for Completion of Project	30 days
Cost of Tender Document	A Bank Draft for Rs. 2,000.00 (Rupees Two Thousands Only) in favor of "Central University of Jharkhand" payable at S.B.I., Upper Bazaar Branch, Ranchi be attached with the bid (non-refundable).
Earnest Money	2% of the quoted amount must be annexed with the Financial bid. vide Bank Draft in favor of "Central University of Jharkhand" payable at S.B.I., Upper Bazaar Branch, Ranchi

Tender document can be had from the Office of the O.S.D. (Project), Central University of Jharkhand, "City Centre", Kanke Road, Ranchi-834008, with written request for issuing of tender document, on all working days from the Project Office on payment of requisite cost of tender in form of Bank Draft in favor of "Central University of Jharkhand" payable at S.B.I., Upper Bazaar Branch, Ranchi or can be downloaded from university website <http://www.cuj.ac.in>.

- The tender document has to be submitted in three separate envelopes, ALL the envelopes should be enclosed in one big envelop super-scribing as **"TENDER DOCUMENT FOR CONSTRUCTION OF DRAIN, SOAK PIT & PROVIDING AND FIXING OF HAND WASH BASIN AT CENTRAL UNIVERSITY OF JHARKHAND, BRAMBE, RANCHI."**
 - First Envelop** should be super scribed as **TECHNICAL BID** containing the technical specs and firms credential.
 - Second Envelop** should be scribed as **PRICE BID** containing the quoted rate.
 - Third Envelop** should be scribed as **EMD** containing the EMD amount.
- In case the Tender Document is downloaded from the web site then the cost of the same must be enclosed separately in **Fourth Envelop** should be scribed as **"TENDER COST"** (non-refundable) attached along with tender in the form of Demand Draft in favor of Central University of Jharkhand, payable at Ranchi.
- Tender submission should be accompanied with an Earnest Money i.e. 2% of the quoted amount (refundable) in the form of Demand Draft in favor of Central University of Jharkhand, payable at Ranchi.

4. The Tender received without EMD and Cost of Tender (in case the Tender downloaded from website) shall be summarily rejected. If so desired the tenderers or their authorized representatives may be present on the day of opening of tender.
5. The tenderer should have supplied similar goods to other government organization and should produce documental evidence.
6. For clarification, if any, the same may be sought from the office of the undersigned at the above address.
7. The complete tender document is to be signed with seal & is to be placed in the technical bid envelope along with the necessary required catalogues/documents. The bidder shall submit satisfactory documentary proof.
8. Central University of Jharkhand reserves the right to reject any or all prospective applicants without assigning any reason and to restrict the list of tendered contractors to any number deemed suitable by it, if too many applications are received satisfying the basic PQ criteria.
9. The decision of the Competent Authority of the University will be the final and binding to all. The Vice Chancellor, Central University of Jharkhand reserves the right to accept or reject any application and to annul the tender process and reject all applications at any time, without assigning any reason or incurring any liability to the applicants.
10. The University reserves the right to increase or decrease the scope of work or split the job. They are liable to change and must be considered only as advance information to assist the applicant.
11. If any information furnished by the applicant is found to be incorrect at a later stage, he shall be liable to be debarred from tendering/taking up of work in Central University of Jharkhand. The Central University of Jharkhand reserves the right to verify the particulars furnished by the applicant independently.
12. The rates must be quoted for service/materials F.O.R Brambe Campus of Central University of Jharkhand, situated at Brambe, Ratu-Lohardaga Road, Ranchi. No additional handling/liability charges will be entertained.
13. Even though an applicant may satisfy the above requirements, University would be liable to disqualification if he has:
 - a) Made misleading or false representation or deliberately suppressed the information in the forms, statements and enclosures required in the pre-qualification document.
 - b) Record of poor performance such as abandoning work, not properly completing the contract, or financial failures/weakness etc.

-sd-

OSD (Project)

Copy To:

- 1) *P.S to Vice Chancellor for information please. <vc@cu.j.ac.in>*
- 2) *P.S to Finance Officer for information please. <fo@cu.j.ac.in>*
- 3) *Notice Board of CUJ.*
- 4) *Executive Engineer, Project, CUJ*
- 5) *Technical Branch of Project, CUJ.*
- 6) *Accounts Branch(Project), CUJ*
- 7) *Technical Assistant, CUJ for information and necessary action to host the same in website of CUJ.<ta-computers@cu.j.ac.in>*
- 8) *Concerned file of Project.*

-sd-

OSD (Project)

BILL OF QUANTITY
FOR CONSTRUCTION OF DRAIN, SOAK PIT & PROVIDING & FIXING OF HAND BASIN
OF CENTRAL UNIVERSITY OF JHARKHAND, BRAMBE, RANCHI

Sl. No.	Item No.	Item	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
1.	DSR-2012 2.8.1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	cum	17.7		
2.	DSR-2012 2.27	Supplying and filling in plinth with Jamuna sand under floors, including watering, ramming, consolidating and dressing complete	cum	2.85		
3.	DSR-2012 4.1.6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)	cum	2.85		
4.	DSR-2012 6.1.2	Brick work with common burnt clay F.P.S. (non-modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	6.66		
5.	DSR-2012 10.25.2	Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	kg	20		
6.	DSR-2012 13.8.2	15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix : 1:4 (1 cement: 4 fine sand)	sqm	60.62		
7.	DSR-2012 17.7.2	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require : White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap.	no.	2		
8.	DSR-2012	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :				
	19.6.2	150 mm dia. R.C.C. pipe	Mtr	40		
	19.6.4	300 mm dia. R.C.C. pipe	Mtr	40		

9.	DSR-2012 19.19.1.2	Providing and fixing in position pre-cast R.C.C. manhole cover and frame of required shape and approved quality Square shape 450mm internal dimensions	No	2		
10.	DSR-2012 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	No	2		

TOTAL: (in figure) RS. _____

(in word) _____

**NAME OF CONTRACTOR
(ALONG WITH DATE & SEAL)**