## CENTRAL UNIVERSITY OF JHARKHAND CHERI-MANATU, RANCHI – 835 222



## Tender Document for Supply and Installation of

# DOUBLE BEAM UV-VIS SPECTROPHOTOMETER at Central University of Jharkhand, Ranchi.

#### **INDEX**

Sl. No.	Contents	Page No.
1.	Notice Inviting Tender (NIT)	3-4
2.	Instructions to Bidders (ITB)	5
3.	Qualification/ eligibility criteria	6-7
4.	Schedules of requirements	8
5.	Technical Specifications and Quality Assurance	9-11
6.	General Condition of Contract (GCC)	14-21
7.	Special Condition of Contract (SCC)	22-25
8.	Standard Formats  (a) Check list/ List of documents  (b) Technical Bid Format  (c) Financial Bid/ BOQ Format  (d) NEFT Mandate Form  (e) Declaration  (f) PBG Format  (g) Bid Securing Declaration Format etc.	26-46
9.	Annexure	12-13

#### **SECTION - I**

Ref. No.: CUJ/R&A/CIF/2021/154/428 Date: 3rd February, 2022

#### **NOTICE INVITING TENDER (NIT)**

Sub.: "Supply and installation of Double Beam UV-VIS Spectrophotometer at Central University of Jharkhand, Ranchi"

- 1. The Central University of Jharkhand (CUJ) invites <u>e-Tender</u> under Single Stage Two Envelops System (Two Bid System) through Central Public Procurement (CPP) Portal (<u>www.eprocure.gov.in</u>) / e-Procurement Portal of Ministry of Education, GOI (E-wizard) (<a href="https://mhrd.euniwizarde.com/">https://mhrd.euniwizarde.com/</a>) (Part-I: Technical bid and Part II: Financial Bid) from experienced and reputed firms/ agencies/ companies for "Supply and installation of Double Beam UV-VIS Spectrophotometer at Central University of Jharkhand, Ranchi".
- 2. The interested bidders/ firms/ agencies/ companies can visit the university website <a href="www.cuj.ac.in">www.cuj.ac.in</a> or CPP portal <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> or E-wizard (<a href="https://mhrd.euniwizarde.com/">https://eprocure.gov.in/eprocure/app</a> or E-wizard (<a href="https://mhrd.euniwizarde.com/">https://mhrd.euniwizarde.com/</a>) regularly for more details about the closing date of submission of tender for any corrigendum/ addendum/ amendment. After closing date, any notice regarding tender will be publish on University website.

-Sd/-**Registrar** 

#### **SCHEDULE OF TENDER**

Name of Works/Services	Supply and installation of Double Beam UV-VIS Spectrophotometer at Central University of Jharkhand, Ranchi		
Type of Tender	Single Stage Two Envelops System (Two Bid System) (Rule 163 GFR 2017)		
Tender Fee	Rs. 2500.00 (Rupees Two Thousand Five Hundred Only)		
EMD	Bid Securing Declaration Form (Format VII)		
Mode of Tender Fee	The Bidders should send separate NEFT / Online Payment Transfer details for Tender Fee (non-refundable) to the account of "Central University of Jharkhand, Ranchi".  CUJ, Ranchi Bank Details: -  Name : Central University of Jharkhand A/C Type : Saving A/C No. : 21525023720 IFSC No. : IDIB000B873 Bank/ Branch : Indian Bank (Allahabad Bank) Brambe Branch, Ranchi		
Publication of e-Tender	03 <sup>rd</sup> February 2022 (1000Hrs)		
Last date and time for Submission of online tender documents	24 <sup>th</sup> February, 2022 (1700Hrs)		
Date and time of Tender Opening	28 <sup>th</sup> February, 2022 (1100Hrs)		

**Note**: If the tender is not opened on the above date, due to unforeseen circumstances, then the next working day will be considered as tender opening date.

#### **SECTION - II**

#### **INSTRUCTIONS TO BIDDERS**

- 1. Tender document can be downloaded from the University Website <a href="www.cuj.ac.in">www.cuj.ac.in</a> or Central Public Procurement Portal (CPPP) at <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> or e-Procurement Portal of Ministry of Education, GOI (E-wizard) (<a href="https://mhrd.euniwizarde.com/">https://mhrd.euniwizarde.com/</a>)
- 2. The bidders are requested to read the tender document carefully and ensure all the compliance with instructions herein. Non-compliance of the instructions contained in this document may disqualify the bidders from the tender process.
- 3. All offers should be written in the English and price should be written in both, figures and words. The offer should be typed or written in pen ink or ball pen. Offer in **pencil will be ignored**.
- 4. The agencies/ bidders/ firms are advised to read carefully the tender documents and terms & conditions before quoting/ submitting their bid.
- 5. **All the pages** of the tender documents should be **signed and stamped** by bidders for their acceptance of all terms and conditions of the tender.
- 6. All offers should be written in the **English** and **price** should be written in both, **figures and words**.
- 7. Quoting firms **must put page number on every page** of the bid. It is also required that page nos. of the documents attached should be mentioned against each item of the main bid.
- 8. The NEFT / Online Payment for Tender Fee must be deposited to the account of "Central University of Jharkhand, Ranchi" **before the last date of bid submission**. NEFT/ Online Payment transfer details for Tender Fee and Bid Securing Declaration Form must be submitted along with the tender document.
- 9. The Bids, for which Tender Fee and Bid Securing Declaration Form has been received before the last date of bid submission by the university, will be opened in the presence of Bidders' authorized representatives who choose to attend on the specified date and time. In the event of the date specified for bid receipt and opening being declared as a closed holiday for University, the due date for submission of bids and opening of bids will be next working day or as announced by the University in the appropriate manner.
- 10. Address and contact numbers for seeking clarifications & Communication: -

#### (a) Address for Communication:

The Registrar Central University of Jharkhand Village - Cheri-Manatu P.O. – Kamre, P.S.-Kanke Dist.- Ranchi - 835 222 (Jharkhand)

(b) Name/ designation of the contact personnel : Prof. SL Harikumar, Registrar

(c) Telephone/ Mobile numbers : +91-9304953705 (P.S. to Registrar)

(d) E-mail ID of contact personnel : registrar@cuj.ac.in

#### **SECTION - III**

#### **QUALIFICATION / ELIGIBILITY CRITERIA**

- 1. The bidder must have experience in the area of Supply and installation of Double Beam UV-VIS Spectrophotometer or similar type of items at Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies/ Reputed Organisations/ Educational institute, for a minimum 03 successful supply & installation for a period of last Five years ended 31st March, 2021. Double Beam UV-VIS Spectrophotometer or similar type of items successfully supplied & installed at Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies/ Reputed Organisations/ Educational institute along with supply order value shall be furnished. Out of all successfully executed supply orders during last Five years, at least one successfully executed supply order shall be for any Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies.
- 2. **Financial Capability**: Average annual financial turnover of the bidder during the last three financial years ended 31st March, 2021 should be at least **Rs. 100.00 lakhs** (Rupees One Hundred Lakhs only).
- 3. Past Experience: The bidder must have experience of minimum 03 successful Supply and installation of Double Beam UV-VIS Spectrophotometer or similar type of items for a period of last Five years ended 31st March, 2021 to Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies/ Reputed Organisations/ Educational institute. Out of all successfully executed supply orders, at least one successfully executed supply order shall be for any Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University/ Autonomous bodies.
- 4. Self-Attested copies of registration certificate/ documents defining the constitution or legal status, place of registration and principal place of business; written power of attorney of the signatory of the bid to commit the bidder.
- 5. **Self-Attested copy** of following additional **documents**:-
  - (a) Firm Registration Certificate
  - (b) GST Registration Certificate
  - (c) PAN Card
  - (d) OEM Certificate, if applicable
  - (e) Authorised Dealership Certificate by/ of Indian firm
  - (f) Authorised service centre nearest to Ranchi.
- 6. Self-attested Copies of **at least 03 successfully completed supply orders** with financial value for supply and installation of Double Beam UV-VIS Spectrophotometer or similar type of items for last Five years along with names & address of clients who may be contacted for further information on those contracts (**Format-II**).
- 7. Income Tax returns filed for the last three financial years ended 31st March, 2021.
- 8. Certified copies of Audited Annual accounts of the last three financial years ended 31st March, 2021 by CA comprising following:-
  - (a) Balance sheet

- (b) Profit and loss Statement
- (c) Income and expenditure account
- 9. Bank Account details (NEFT Mandate Form) (Format-IV).
- 10. An undertaking on non-judicial stamp paper of **Rs. 100.00** to be furnished as per the **Format-V** of the tender document.

<u>Note:</u> Bidders not complying with above conditions or not providing complete information as described shall not be considered and hence out rightly rejected.

#### **SECTION - IV**

#### **SCHEDULES OF REQUIREMENTS**

Sl. No.	Item Name	Qty.
1.	Double Beam UV-VIS Spectrophotometer	01 no.

**Note:** The quantity of item is only indicative/ tentative in nature. CUJ authorities reserve the full right to increase/ decrease the quantity of items either side in the time of award of supply/ purchase order as per its actual requirement.

#### **SECTION - V**

#### **TECHNICAL SPECIFICATIONS**

Technical Specifications for Double Beam UV-VIS Spectrophotometer should have following minimum specifications (better & higher specification will be given preference)

Item No.: CIF 03	Technical Specifications for Double Beam UV-VIS Spectrophotometer should have following minimum specifications (better & higher specification will be given preference)	
Qty 01 No.		
Features	Specifications	
Instrument	PC supported Double Beam UV-VIS Spectrophotometer	
Measurement modes	PC controlled system with Quantitative Analysis: Wavelength scan (Abs, %T, %R, Sample, Reference), Time scan (Abs, %T, %R, Sample, Reference), Abs/%T monitor	
Wavelength Range	190 to 900 nm or higher with an Integrating Sphere attachment having dual detector	
Spectral Bandwidth	0.1 to 5 nm or better	
Resolution	0.1 nm or better	
Wavelength Accuracy	±0.1 nm or better	
Wavelength Repeatability	±0.05 nm or better	
Wavelength scanning rate	4000 to 0.5 nm/min	
Wavelength scan rate	14000 nm/min or better	
Light source	Deuterium lamp and Tungsten-Halogen lamp with light source auto position adjustment built in	
Detector	Photomultiplier (PMT)	
Stray Light	≤ 0.005 %T (220 nm NaI) or better	
Photometric system	Double beam	
Photometric range	-5 to 5 Abs or higher	
Photometric accuracy	± 0.002 Abs (0.5 Abs) or better	
Photometric Repeatability	± 0.001 Abs or less (0.5 Abs)	
Base line flatness	0.0002 Abs/hr or less (700 nm, 1 hour after light source is turned ON)	
Baseline stability	± 0.0003 Abs (200 to 860 nm, 1 hour after light source is turned ON)	
Light source	50W halogen lamp (2000 hr Life), Deuterium lamp (socket Type, 2000 hr life) Automation Position alignment mechanism built in.	
Monochromator	Czerny-Turner mounting, Single monochromator, Double- beam system, 1,300 lines/mm, 240 nm blazed grating	
Ambient Temperature	15°C - 35°C	
Essential Accessories	<ul> <li>Standard calibration kit</li> <li>Quartz cuvettes 10 mm path length -2 Pairs, Matched Pair</li> <li>Integrating Sphere Attachment: Wavelength range: 220 nm to 900 nm or better, Diffuse and Specular Reflectance measurements are possible, Samples like Powder, Solid, colloidal sample, Thin Film etc are measured by using this</li> </ul>	
	accessory, The Integrating Sphere should be equipped with	

	<ul> <li>two detectors: a photomultiplier tube and an InGaAs detector, Minimum Inner diameter of integrating sphere: 60 mm, Maximum size of reflectance sample: W95 × H135 × T20 mm (0° incidence side), W70 × H70 × T12 mm (8° incidence side)</li> <li>Anti-Vibration Table – 1 No &amp; Table for Desktop PC – 1 No., Chair – 2No.</li> <li>Desktop PC with 64 Bit Windows 10 OS licensed (Annexure-A)</li> <li>Suitable Online 5 kVA UPS with at-least 1hr back up (Annexure-B)</li> <li>Laser Printer</li> </ul>
Data Processing	Peak picking, Peak height, Peak area, Peak width, Derivatives, Smoothing, Data truncation, Arithmetic, Baseline correction, Subtraction, Deconvolution, Vertical axis conversion, Horizontal axis conversion, etc.
Software	<ul> <li>Instrument software must be the latest version and should have a real time reference curve capability and calculation capability</li> <li>Software should be compatible for windows 10 or above with all required functions for Instrument control, data acquisition and analysis and necessary report utilities</li> <li>Operating software which allows for the instrument to be fully calibrated and verified automatically.</li> <li>The data file format {Data and graphic export to MS office, origin, etc (.csv, .txt, and .dat format)} should easily allow sharing/transfer of data files as individual electronic documents, which are readable by the same data analysis package.</li> <li>The software should be having options for creating user defined templates for reports in required format.</li> <li>Data storage facility and provision to conduct post measurement analysis and review of test results at a later date.</li> </ul>
Installation	Installation and commissioning should be at free of cost at Central University of Jharkhand (CUJ), Ranchi, Jharkhand.
Warranty	Minimum warranty of 2 years should be quoted with main system and two years of comprehensive warranty from the date of installation on the complete system, including all the subsystems (accessories/consumables / spares parts) of the equipment. All accessories/ consumable/ spare parts replaced shall be from OEM/ Supplier of same model or higher version. If within a period of three years after commission, any accessory / consumable/ spare part is proved to be defective then such product shall be replaced by the manufacturer / supplier. Such replacement shall be sole obligation of manufacturer / supplier, Including payment of charges for freight delivery, custom duty and transportation, if any. In case of breakdown during the warranty period, a competent Service Engineering of the supplier should make as many visits as are required to rectify the problem and replace the faulty parts, without any liability of cost. But it should be repaired/ contacted within 72 working hours from the date and time of complaint lodged by the user.
Service and spare parts supports	System must offer at least 5 years' Service and spare parts supports after warranty period.

Application Training	<ul> <li>Onsite training to personnel for smooth operation of the instruments. Training should be divided in two parts.</li> <li>Service Support Factory trained Engineers, specify the no. Of Engineers with base location, Response time, Availability of Parts, Consumables, number of visits needs to be provided.</li> <li>Application lab must be in India to address application related issues.</li> <li>Spares: The supplier of the instrument must confirm in writing that the spares for the entire instrument will be available for a period of at least ten years after the installation of the instrument.</li> </ul>
Terms and conditions	<ul> <li>The policy of up gradations/add-ons, service and maintenance must be extensively mentioned in the submitted quotations.</li> <li>The vendor should have local application and service support.</li> <li>Installation and commissioning should be at free of cost. The institution will provide only the space for installation. Manufacturer has to provide all the requirements for installation and commissioning. The suitable computer table and two chairs to be quoted.</li> <li>The vendor should provide necessary computer and Laser colour printer along with the instrument as per the specifications given for them.</li> <li>Vendors must supply appropriate documents specifying their users in higher academic institutions in India.</li> </ul>
Calibration Certificate	Issue from Government Lab/NABL accredited lab
Note: Additional requirement as per the suppliers, if any.	<ul> <li>The details including price may be quoted for additional items/softwares which may be required for operationalization of the equipment, if any.</li> </ul>

Computer Specification (Annexure- A)

Processor Make   Intel   Processor Make   Processor Generation   10 and above   Number of cones per Processor   8   Processor Base Frequency (GHz)   3   Processor description   Intel Core i5   Processor Number   Intel Core i5   Out of Brand Management   NA   Cache (MB)   9   Motherboard   Intel B Series / H series   Expansion slots (PCle x 1) (Number)   1   Chipset number   Intel B 365 / H 370   Expansion slots (PCle x 16) (Number)   1   Expansion slots (PCle x 16) (Number   1   Expansion slots (PCle x 16)	Computer Specification	(Annexure- A)
Processor Generation 10 and above Number of cones per Processor 8 Processor Base Frequency (GHz) 3 Processor Base Frequency (GHz) 1 3 Processor Mamber 1 Intel Core i5 Processor Number 1 Intel Core i5 Out of Brand Management NA 9 Cache (MB) 9 Motherboard 1 Chipset series Intel B Series / H series Expansion slots (PCle x 1) (Number) 1 Chipset number Intel B 365 / H 370 Expansion slots (PCle x 16) (Number) 1 Expansion slots (PCle x 16) (Number) 1 Expansion slots (PCl) (Number (PCl) (Number) 1 Expansion slots (PCl) (Number) 1	Processor	
Number of cones per Processor Processor Base Frequency (GHz) Processor Base Frequency (GHz) Processor description Intel Core i5 Processor Number Intel Core i5 Out of Brand Management NA Cache (MB) 9 Motherboard Chipset series Expansion slots (PCle x 1) (Number) 1 Chipset number Expansion slots (PCle x 16) (Number) 1 Expansion slots (PCl) (Number) 1 Expansion sl		
Processor Base Frequency (GHz) 3 Processor description Intel Core i5 Processor Number Intel Core i5 Out of Brand Management NA Cache (MB) 9 Motherboard Chipset series Intel B Series / H series Expansion slots (PCle x 1) (Number) 1 Chipset number Intel B 365 / H 370 Expansion slots (PCle x 16) (Number) 1 Expansion slots (M Dot 2) 2 Graphics Graphics Graphic Card Description UHD 630 Size of VRAM in case of Integrated Graphics (MB) 128 Operating System Operating System Operating System (Factory Pre-Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows Memory Type of RAM DDR4 RAM Size (GB) 6 RAM Speed (MHz) 2666 or more 2666 or more 2666 or more 32666 or more 32	Processor Generation	10 and above
Processor description	Number of cones per Processor	
Processor Number	Processor Base Frequency (GHz)	3
Out of Brand Management Cache (MB) Motherboard Chipset series Expansion slots (PCle x 1) (Number) 1 Chipset number Expansion slots (PCle x 16) (Number) 1 Expansion slots (PCle x 16) (Number) 1 Expansion slots (PCl) (Number) 1 Expansion slots (PCl) (Number) 1 Expansion slots (PCl) (Number) 1 Expansion slots (M Dot 2) 2 Graphics Graphics Type Graphics Type Integrated Graphic Card Description Size of VRAM in case of Integrated Graphics (MB) UHD 630 Size of VRAM in case of Integrated Graphics (MB) Operating System Operating System Operating system (Factory Pre- Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows Memory Type of RAM RAM Size (GB) 6 RAM Speed (MHz) Total Numbers of DIMM slots Available Number of DIMM slots Available 1 RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available 2 Number of 2 point 5 inches internal Bays 1 Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of Internal Bays populated Type of Drives used to populated the internal Bays Number of Internal Bays populated Total HDD Number of Internal Bays populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB) Cabinet	Processor description	Intel Core i5
Cache (MB)  Motherboard  Chipset series Expansion slots (PCle x 1) (Number)  Chipset number Intel B 365 / H 370  Expansion slots (PCle x 16) (Number)  Expansion slots (PCle x 16) (Number)  Expansion slots (PCl) (Number)  Expansion slots (PCl) (Number)  Expansion slots (M Dot 2)  Graphics  Graphics  Graphics Type Integrated  Graphic Card Description  Size of VRAM in case of Integrated Graphics (MB)  Operating System  Operating System  Operating system (Factory Pre- Loaded)  Nor Line / Cloud  OS Certification  Windows  Memory  Type of RAM  RAM Size (GB)  RAM Size (GB)  RAM Speed (MHz)  Total Numbers of DIMM slots Available  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of Internal Bays populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet	Processor Number	Intel Core i5
Motherboard Chipset series	Out of Brand Management	NA
Chipset series	Cache (MB)	9
Expansion slots (PCle x 1) (Number)  Chipset number  Expansion slots (PCle x 16) (Number)  Expansion slots (PCl) (Number)  Expansion slots (PCl) (Number)  Expansion slots (M Dot 2)  Graphics  Graphics  Graphics Type  Graphic Card Description  Size of VRAM in case of Integrated Graphics (MB)  Operating System  Operating System  Operating System (Factory Pre- Loaded)  Recovery Image Media  On Line / Cloud  OS Certification  Windows  Memory  Type of RAM  RAM Size (GB)  RAM Speed (MHz)  Total Numbers of DIMM slots Available  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Rumber of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of Internal Bays populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)	Motherboard	
Chipset number Expansion slots (PCle x 16) (Number) Expansion slots (PCl) (Number) Expansion slots (PCl) (Number) Expansion slots (PCl) (Number) Expansion slots (M Dot 2)  Graphics Graphics Graphics Graphic Card Description UHD 630 Size of VRAM in case of Integrated Graphics (MB) Operating System Operating System Operating System (Factory Pre- Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows Memory Type of RAM RAM Size (GB) 6 RAM Speed (MHz) Total Numbers of DIMM slots Available 2 Number of DIMM Slots populated RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available 2 Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches Internal Bays Number of Internal Bays populated the internal Bays Number of Internal Bays populated the internal Bays Number of Internal Bays populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB)  Cabinet	Chipset series	Intel B Series / H series
Chipset number Expansion slots (PCle x 16) (Number) Expansion slots (PCl) (Number) Expansion slots (PCl) (Number) Expansion slots (PCl) (Number) Expansion slots (M Dot 2)  Graphics Graphics Graphics Graphic Card Description UHD 630 Size of VRAM in case of Integrated Graphics (MB) Operating System Operating System Operating System (Factory Pre- Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows Memory Type of RAM RAM Size (GB) 6 RAM Speed (MHz) Total Numbers of DIMM slots Available 2 Number of DIMM Slots populated RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available 2 Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches Internal Bays Number of Internal Bays populated the internal Bays Number of Internal Bays populated the internal Bays Number of Internal Bays populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB)  Cabinet	Expansion slots (PCIe x 1) (Number)	1
Expansion slots (PCI) (Number)  Expansion Slots (M Dot 2)  Graphics  Graphics  Graphic Type  Graphic Card Description  Size of VRAM in case of Integrated Graphics (MB)  Operating System  Operating System  Operating system (Factory Pre- Loaded)  Recovery Image Media  Os Certification  Windows  Memory  Type of RAM  RAM Size (GB)  RAM Speed (MHz)  Total Numbers of DIMM slots Available  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		Intel B 365 / H 370
Expansion slots (PCI) (Number)  Expansion Slots (M Dot 2)  Graphics  Graphics  Graphic Type  Graphic Card Description  Size of VRAM in case of Integrated Graphics (MB)  Operating System  Operating System  Operating system (Factory Pre- Loaded)  Recovery Image Media  Os Certification  Windows  Memory  Type of RAM  RAM Size (GB)  RAM Speed (MHz)  Total Numbers of DIMM slots Available  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet	Expansion slots (PCIe x 16) (Number)	1
Expansion Slots (M Dot 2) 2  Graphics Graphics Type Integrated Graphic Card Description UHD 630 Size of VRAM in case of Integrated Graphics (MB) 128  Operating System Operating System Operating system (Factory Pre- Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows  Memory Type of RAM DDR4 RAM Size (GB) 6 RAM Speed (MHz) 2666 or more Total Numbers of DIMM slots Available 2 Number of DIMM Slots populated 1 RAM expandability up to (using spare DIMM slots in GB)  Storage Total Number if Internal Bays available 2 Number of 2 point 5 inches internal Bays 1 Number of 3 point 5 inches internal Bays 1 Number of 3 point 5 inches Internal Bays Populated 1 Type of Drives used to populated the internal Bays HDD Number of Internal Bays populated with HDD 1 Capacity of each HDD (GB) 1000  Cabinet		1
Graphics Graphics Type Graphic Card Description Size of VRAM in case of Integrated Graphics (MB) Operating System Operating System Operating system (Factory Pre- Loaded) Recovery Image Media On Line / Cloud OS Certification Windows Memory Type of RAM RAM Size (GB) RAM Speed (MHz) Total Numbers of DIMM slots Available RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available Total Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of Joines used to populated the internal Bays Number of Internal Bays populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD Total HDD Capacity (GB) Total HDD Capacity (GB)  Cabinet	• • • • • • • • • • • • • • • • • • • •	2
Graphics Type Graphic Card Description Size of VRAM in case of Integrated Graphics (MB) Operating System Operating System Operating System (Factory Pre- Loaded) Recovery Image Media OS Certification Windows Memory Type of RAM RAM Size (GB) RAM Speed (MHz) Total Numbers of DIMM slots Available RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available Number of 2 point 5 inches internal Bays Number of 3 point 5 inches Internal Bays Populated Type of Drives used to populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB)		
Graphic Card Description  Size of VRAM in case of Integrated Graphics (MB)  Operating System  Operating System (Factory Pre- Loaded)  Recovery Image Media  On Line / Cloud  OS Certification  Windows  Memory  Type of RAM  RAM Size (GB)  RAM Speed (MHz)  Total Numbers of DIMM slots Available  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays  Number of 3 point 5 inches Internal Bays  Number of Internal Bays populated the internal Bays  Number of Internal Bays populated the internal Bays  Number of Internal Bays populated the internal Bays  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		Integrated
Size of VRAM in case of Integrated Graphics (MB)  Operating System  Operating system (Factory Pre- Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows  Memory  Type of RAM DDR4  RAM Size (GB) 6  RAM Speed (MHz) 2666 or more  Total Numbers of DIMM slots Available 2  Number of DIMM Slots populated 1  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available 2  Number of 2 point 5 inches internal Bays 1  Number of 3 point 5 inches Internal Bays 1  Number of 3 point 5 inches Internal Bays Populated 1  Type of Drives used to populated the internal Bays HDD  Number of Internal Bays populated with HDD 1  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet	1 11	C
Operating System Operating system (Factory Pre- Loaded) Windows 10 Professional Recovery Image Media On Line / Cloud OS Certification Windows  Memory Type of RAM DDR4 RAM Size (GB) 6 RAM Speed (MHz) 2666 or more Total Numbers of DIMM slots Available 2 Number of DIMM Slots populated 1 RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available 2 Number of 2 point 5 inches internal Bays 1 Number of 3 point 5 inches internal Bays 1 Number of 3 point 5 inches Internal Bays Populated 1 Type of Drives used to populated the internal Bays HDD Number of Internal Bays populated with HDD 1 Capacity of each HDD (GB) 1000  Cabinet		
Operating system (Factory Pre- Loaded) Recovery Image Media On Line / Cloud OS Certification Windows  Memory  Type of RAM RAM Size (GB) RAM Speed (MHz) Total Numbers of DIMM slots Available Number of DIMM Slots populated RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available Number of 3 point 5 inches internal Bays Number of 3 point 5 inches Internal Bays Populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) Cabinet		12-0
Recovery Image Media On Line / Cloud OS Certification Windows  Memory  Type of RAM DDR4  RAM Size (GB) 6  RAM Speed (MHz) 2666 or more  Total Numbers of DIMM slots Available 2  Number of DIMM Slots populated 1  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available 2  Number of 2 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches Internal Bays 1  Number of Drives used to populated the internal Bays HDD  Number of Internal Bays populated with HDD 1  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet		Windows 10 Professional
OS Certification Windows  Memory  Type of RAM DDR4  RAM Size (GB) 6  RAM Speed (MHz) 2666 or more  Total Numbers of DIMM slots Available 2  Number of DIMM Slots populated 1  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available 2  Number of 2 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches Internal Bays Populated 1  Type of Drives used to populated the internal Bays HDD  Number of Internal Bays populated with HDD 1  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet		
MemoryType of RAMDDR4RAM Size (GB)6RAM Speed (MHz)2666 or moreTotal Numbers of DIMM slots Available2Number of DIMM Slots populated1RAM expandability up to (using spare DIMM slots in GB)32Storage5toral Number if Internal Bays available2Number of 2 point 5 inches internal Bays1Number of 3 point 5 inches internal Bays1Number of 3 point 5 inches Internal Bays Populated1Type of Drives used to populated the internal BaysHDDNumber of Internal Bays populated with HDD1Capacity of each HDD (GB)1000@7200 rpmTotal HDD Capacity (GB)1000Cabinet	, ,	,
Type of RAM RAM Size (GB) RAM Speed (MHz) Total Numbers of DIMM slots Available Number of DIMM Slots populated RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available Number of 2 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches Internal Bays Number of 1 Drives used to populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB)  Cabinet		Wildows
RAM Size (GB)  RAM Speed (MHz)  Total Numbers of DIMM slots Available  Number of DIMM Slots populated  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet	•	DDR4
RAM Speed (MHz)  Total Numbers of DIMM slots Available  Number of DIMM Slots populated  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		
Total Numbers of DIMM slots Available  Number of DIMM Slots populated  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		
Number of DIMM Slots populated  RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays  Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet	<u> </u>	
RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		
Storage Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays  Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		
StorageTotal Number if Internal Bays available2Number of 2 point 5 inches internal Bays1Number of 3 point 5 inches internal Bays1Number of 3 point 5 inches Internal Bays Populated1Type of Drives used to populated the internal BaysHDDNumber of Internal Bays populated with HDD1Capacity of each HDD (GB)1000@7200 rpmTotal HDD Capacity (GB)1000		32
Total Number if Internal Bays available  Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet	,	
Number of 2 point 5 inches internal Bays  Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet		2
Number of 3 point 5 inches internal Bays  Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet	,	
Number of 3 point 5 inches Internal Bays Populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB)  Cabinet  1 1000@7200 rpm 1000		
Type of Drives used to populated the internal Bays  Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  Cabinet  HDD  1  1000@7200 rpm  1000		
Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Total HDD Capacity (GB)  1000  Cabinet		
Capacity of each HDD (GB) 1000@7200 rpm Total HDD Capacity (GB) 1000  Cabinet		
Total HDD Capacity (GB) 1000  Cabinet		
Cabinet		•
	Total HDD Capacity (GB)	1000
Cabinet Form Factor Tower (13.1 to 26 Litres)	Cabinet	
	Cabinet Form Factor	Tower (13.1 to 26 Litres)
Cabinet Volume (Litres) 15.1	Cabinet Volume (Litres)	15.1
External Bays (Number) 1	External Bays (Number)	1
Optical drive DVD R/W	Optical drive	DVD R/W
Internal Speaker Yes	•	,
Audio-in Yes	•	
Audio-out Yes		

Headphone out	Yes		
Microphone-in Yes			
Connectivity			
Wireless connectivity	Yes		
If Yes, Type of wireless connectivity	Wi-Fi B02.11bc		
Number of Ethernet Ports	1		
Type of Ethernet Ports	10/100/1000 on board		
Bluetooth connectivity	Yes		
If yes, Version of Bluetooth available	4.2		
Ports			
Number of USB Version 2 Point 0 Ports	4		
Number of USB Version 3 point 0/3 point 1, Gen 1 Ports	4		
Number of Serial Ports	1		
Number of VGA Ports	1		
Number of HDMI Ports	1		
Monitor			
Model of the Monitor	P224		
Monitor Technology	IPS		
LED Backlit Monitor size (INCHES)	21.5		
Monitor Resolution (PIXELS)	1920 x 1080		
TCO Certification for Monitor	8		
Number of VGA Ports in the Monitor	1		
Number of HDMI Ports in the Monitor	1		
Number of Display Ports in the Monitor	1		
Input Devices			
Mouse Connectivity	Wired		
Type of Mouse	Optical Scroll		
Keyboard Connectivity	Wired		
Type of Keyboard	Standard		
Warranty			
On Site OEM Warranty (Year)	3		

Specification of Multi-Function Laser Printer and UPS (Annexure-B)

Name of Equipment	Specification		
Multi Function Laser	Print Technology Laser Jet		
Printer	Type of Machine Multifunction Machine		
	Function Colour Scan, Copy, Print		
	Type of Printing Colour		
	Cartridge Technology		
	Scanning & Copying Yes		
	Feature Availability		
	Duplexing Feature Yes		
	Availability		
	Wi- Fi Availability Yes		
UPS	Suitable Online 5 kVA UPS, Generator Compatible, Wide input		
	Range: 140 – 300 V, With Cold Start Function & AVR which		
	regulates voltage automatically, 1 hr Backup		

#### **SECTION - VI**

#### **GENERAL CONDITION OF CONTRACT**

- 1. <u>Bid Security & Tender Fee.</u> The bidder shall submit NEFT/ Online Payment of <u>Rs. 2,500.00</u> (Rupees Two Thousand Five Hundred only) towards tender fee to the account of "Central University of Jharkhand, Ranchi" and Bid Security/EMD as per **Format VII before the last date of bid submission**. NEFT / Online Payment transfer details for Tender Fee and Bid Securing Declaration Form (**Format VII**) must be submitted along with the tender document as per the following details: -
  - (a) The terms and conditions of Bid Securing Declaration Form will be executed, if: -
    - (i) The bidder fails to supply the ordered item as per the supply/ purchase order, or
    - (ii) In the event of withdrawal of offer during the validity period, or
    - (iii) Non-confirmation of acceptance of the letter of intent/ purchase order within the stipulated time after issue of the letter of intent/ work order by the University, or
    - (iv) The successful bidder fails to furnish the required Performance Security **within 30 days** on receipt of notification of award of work order from the University, or
    - (v) The bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of the tender.
  - (b) Bid Securing Declaration Form should remain valid for a period of **45** (Forty Five) **days** beyond the final bid validity period.
  - (c) The Bid Securing Declaration Form must be submitted as per provision on OM No. F. 9/4/2020-PPD dated 12<sup>th</sup> November, 2020, Ministry of Finance. (**Format VII**)
- 2. <u>Performance Security.</u> On receipt of notification of award of supply order from the University, the successful Bidder within 30 days shall furnish the performance security of 03% (three percent) of Total value of supply/ purchase order in the form of DD/FDR/PBG in favour of "Central University of Jharkhand payable at Ranchi" issued from any of commercial bank in India in an acceptable format (Format VI): -
  - (a) Performance security should remain valid for a period of **60 days** beyond the date of completion of warranty period.
  - (b) The Performance Security will be forfeited and credited to the University account in the event of a breach of terms and conditions of Supply order/ agreement/ contract.
  - (c) It will be refunded after 60 days, post successful completion of all terms and conditions of supply order and warranty.

#### 3. **Warranty (FORMAT - VIII):**

- (a) **Two year** onsite comprehensive warranty and also give the warranty declaration that everything to be supplied by us hereunder shall be free from all defects and faults in material, workmanship, transportation hazards, and shall be of the highest quality and material of the type ordered, shall be in full conformity with the specifications. During the warranty period, replacement of any part of items or rectification of defects of works will be free of cost.
- (b) Any deviation in the material and the specifications from the accepted terms may liable to be rejected and the bidders need to supply all the goods in the specified form to the satisfaction/ specifications specified in the order / contract and demonstrate at their own cost. The payments shall be made only after receiving the material in the required specifications and quality to the satisfaction of the University authorities.

- (c) The Vendor shall warrants that any Material supplied hereunder shall conform to the generally recognized manufacturing and safety standards of the Vendor's industry as per Indian Standard Institution (ISI)/ Indian Standard (IS) or similar standard. The Vendor's specifications on performance as detailed in the Vendor's brochures, sales literature and other specifications as may be available to the university.
- (d) Vendor should provide insurance up to the delivery point (on-site and not up to the nearest transit/ transport point) and until the time of installation.
- (e) In addition to any other express or implied warranties, the Vendor warrants that the material furnished pursuant to this order will be free from defects in design except to the extent that such items comply with detailed designs provided by the university; of merchantable quality and suitable for the purposes, if any, which are stated in the tender/ quotation.
- (f) This warranty provision shall survive any inspection, delivery, acceptance, payment, expiration or earlier termination of this order and such warranties shall be extended to the employees, students, and users of the material. Nothing herein, however, shall limit the University's rights in law or equity for damages resulting from delivery of defective goods or damage caused during the delivery of goods or provision of services.
- (g) Rights granted to the University in this article entitled WARRANTIES are in addition to any other rights or remedies provided elsewhere in this order or in Law.

#### 4. **Payment Terms & Conditions:**

(a) **Terms of payments for Goods:** 100% of the total payment shall be released on submission of proof of delivery of complete item/ stores i.e. stores/ consignee receipt, inspection report and satisfactory installation certificate of the item at the consignee's premises and post verification of the "*Performance Security @ 03%" of the Supply Order value*.

#### (b) **Documents for Payments of Domestic Goods:**

- (i) Supplier's Invoice indicating, inter alia description and specification of the goods, quantity, unit price, total value, GST no. of seller & buyer (CUJ), HSN/ SAC No., amount & percentage rate of GST (CGST/ SGST etc);
- (ii) Packing list;
- (iii) Insurance certificate, if applicable;
- (iv) Railway receipt/consignment note/delivery challan;
- (V) Manufacturer's and firm's warranty certificate;
- (vi) Inspection and installation certificate duly signed by the supplier's representative/service engineer and university official;
- (vii) Any other document/ certificate(s) as and if required in terms of the payment/ supply order/ tender document.
- (Viii) Copy of cancelled check/ NEFT detail for making online payment.
- (ix) Performance Security
- (c) Central University of Jharkhand is entitled for concessional GST @ 5% as per Notification No. 45/2017 (Central Tax Rate) (as applicable) and Notification No. 47/2017-(Integrated

Tax Rate) dated 14-11-2017 (as applicable). This University is also registered with DSIR vide TU/V/RG-CDE (1154)/2019 dated 28.11.2019 for availing concessional & Custom Duty (as applicable).

- (d) <u>Invoicing / Payments / Set-Offs</u>: After completion of supply against the purchase order, the Vendor shall send duplicate invoices including item number to the University's concern Department. Payment of invoice shall not constitute acceptance of Material ordered and shall be subject to appropriate adjustment, if the Vendor failed to meet the requirements of the purchase order. The University shall have right at any time to set-off any amounts due to the Vendor, (or any of its associated or affiliated companies) against any amounts owed by the university with respect to the purchase order.
- 5. The University will release payment **within 30 working days** from the date of the receipt of bills along with all the above necessary documents, if found in order.
- 6. The successful bidder/ firm/ agency **shall not be paid any kind of advance** under any circumstances.
- 7. **Prices and Taxes:** Prices quoted should be firm and shall remain firm until required deliveries have been completed unless otherwise expressly agreed to, in writing by both parties. The vendor agrees that any price reduction made with respect to Material covered by this order subsequent to placement will be applied to the order.
  - (a) **Elements of Price:** Where the price has several components such as the price of the goods, cost of installation and commissioning, operators' training, and so on, bidders should furnish a cost break-up indicating the applicable prices and taxes for each of such components along with the overall price.
  - (b) **Currency:** domestic tenderers are to quote and accept their payment in Indian currency; Indian agents of foreign suppliers are to receive their agency commission in Indian currency; costs of imported goods, which are directly imported against the contract, may be quoted in foreign currency (currencies) and will be paid accordingly in that currency; and the portion of the allied work and services, which are to be undertaken in India (like installation and commissioning of equipment) are to be quoted and paid in Indian currency.
  - (c) The bidder shall certify that the quoted rates are not higher than those quoted for any Govt. Dept. or Institution or GeM or any organization and that if during the years at any time the bidder has quoted rates lower than those quoted against this tender, the University would be given the benefit of Lower rates by the bidder. The relevant documents should be enclosed with technical bid.
  - (d) Central University of Jharkhand is entitled for concessional GST @ 5% as per Notification No. 45/2017 (Central Tax Rate) (as applicable) and Notification No. 47/2017-(Integrated Tax Rate) dated 14-11-2017 (as applicable). This University is also registered with DSIR vide TU/V/RG-CDE (1154)/2019 dated 28.11.2019 for availing concessional & Custom Duty (as applicable).
  - (e) The price quoted by the bidder should be final and no escalation shall be permitted during the delivery period except for statutory levies or government escalation, enhanced or introduced subsequent to the date of submission of the price bid duly supported by documentary evidence unless otherwise expressly agreed to, in writing by both parties.
- 8. **Prices should be FOR** Central University of Jharkhand, Cheri-Manatu, Kanke, Ranchi and for

imported equipment supplier will be responsible for custom clearance and forwarding the same up to university campus. Custom Duty will be reimbursed on actual basis, after submission of the evidence in original. All prices specified herein include all charges for, but not limited to, inspection, and packaging. Prices set forth shall be inclusive of applicable taxes until and unless specified in the schedule.

- 9. **Price Fall Clause:** If at any time prior to delivery of the equipment/stores, the bidder/supplier reduces the sale price of such equipment stores as covered under this tender enquiry, to any organization (including Central/State/Deemed university) at price lower than the price quoted under this contract, he shall forthwith reduce the price payable under this tender for the equipment/stores being supplied after the date of coming into force of such reduction, the price of equipment/stores shall stand corresponding reduced.
- 10. <u>Insurance</u>: Wherever necessary, the goods supplied under the contract, shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the contract. If considered necessary, insurance may cover "all risks" including war risks and strike clauses. The amount to be covered under insurance should be sufficient to take care of the overall expenditure to be incurred by the Procuring Entity for receiving the goods at the destination. Where delivery of imported goods is required by the purchaser on CIF/CIP basis, the supplier shall arrange and pay for marine/air insurance, making the purchaser beneficiary. Where delivery is on FOB/FAS basis, marine/air insurance shall be the responsibility of the purchaser.
- 11. **Deduction of Income Tax, GST and so on, at source from payment to suppliers**: This will be done as per existing government rules/ regulations/ laws in force during the currency of the contract.
- 12. **Delivery Period**: The item should the delivered to Central University of Jharkhand and within a time period **90 days** & installation be completed within **next 15 days**. If any material is not delivered by the date specified therein, the University reserves the right, without liability, to cancel the order for undelivered material not yet shipped or tendered, and to purchase the same from another vendor and to charge the defaulting Vendor for any loss incurred in this transaction. Any provisions thereof for delivery by instalment shall not be construed as obligatory unless agreed upon by both the parties. The University shall have the right to refuse deliveries made more than one week in advance of any delivery schedule appearing in the order unless arrangements for such early delivery have been confirmed with the receiving party.

If the vendor is unable to complete performance at the time specified for delivery, by reason of strikes, labour disputes, riot, war, fire or other causes beyond the Vendor's reasonable control, the university at its option, may elect to take delivery of material and to pay such proportion of the contract price as deemed reasonable by the university.

13. Shipping, Packaging and Labelling: All Material purchased hereunder must be packed and packaged to ensure its safe delivery in accordance with good commercial practices and where incorporated, the University's packaging specification. The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit, including the final destination. The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements, if any, specified in the contract and in any subsequent instructions ordered by the Purchaser. It is the sole responsibility of the vendor to provide/replace the item/goods, if it is lost or broken during the shipping or transportation due to whatever may be the reason. Vendor is responsible to

ensure, by contacting the University, that the shipping has been properly done i.e., all the items/goods have properly reached the University.

- 14. <u>Installation, Commissioning & Training</u>: Free of cost at University. The OEM must ensure timely installation, commissioning and training of the complete unit with necessary support to the indenters, as per details and lists to be made available by the Stores Section or the indenting Departments/ Centre/ Schools.
- 15. <u>Liquidated Damages (LD)</u>: If vendor fails to deliver any of or all products or does not perform the services within the period specified in the contract, the University reserves the right to, without prejudice to its other remedies under the contract, deduct from the bill, a sum equivalent to **0.5** % of the price of undelivered stores at the agreed price for each week to maximum limit of 10% of the value of stores so undelivered. Once maximum is reached, the second party may consider termination of contract.
- 16. <u>Inspection and Acceptance</u>: Material procured from vendor shall be inspected and tested by the University or its designee at vendors cost, **if deemed necessary by the University**, the Vendor shall provide without charge, all reasonable facilities and assistance for such inspection and test. Any inspection records relating to Material covered by this agreement shall be made available to the University during the performance of the order.
  - (a) If any Material covered by this agreement is defective or otherwise not conforming to the requirements of this agreement, the University may, by written notice to the Vendor:
    - (i) rescind the purchase/supply order as to such non-conforming Material;
    - (ii) accept such material at an equitable reduction in price;
    - (iii) reject such non-conforming material and require the delivery of suitable replacements
  - (b) If the vendor fails to deliver suitable replacements promptly, the university, with notice of seven business days, may replace or correct such material and charge the vendor the additional cost occasioned thereby, or terminate this order for default. No inspection (including source inspection) test, approval (including design approval) or acceptance of material shall relieve the Vendor from responsibility for defects or other failures to meet the requirements of this order. Rights granted to the University in this article entitled INSPECTION is in addition to any other rights or remedies provided elsewhere in this order or in Law.

#### 17. **Modification of bids**.

- (a) The University reserves the right to alter/ modify any or all conditions of this tender document before submission of Technical and Financial bids.
- (b) The agencies/ bidders/ firms shall not be permitted to alter or modify their bids after last date of submission of bids.
- (c) At any time prior to the deadline for submission of tender, the University may amend the tender documents issuing by addendum/ corrigendum. The University shall have the right at any time, by written notice, in the form of an amendment order, to make any changes, if deems necessary, including, but not limited to, changes in specifications, design, delivery, testing methods, packing or destination. If any such required changes cause an increase or decrease in the cost of or the time required for performance, an equitable adjustment shall be made in the contract price or delivery schedule, or both. Any claim by the Vendor for adjustment under this clause shall be deemed waived unless asserted in writing within ten (10) days from receipt by the Vendor of notice of change (amendment order). Price increase, extension of time for delivery and change in

quantity shall not be binding on the University unless sufficiently justified by vendor and accepted by the university in a form of amendment/ modified Order issued and signed by the University.

- 18. **Selection of the Bidder.** For the purpose of selection of the bidder, a Single Stage Two Envelops System (Two Bid System) process will be followed. The response to the tender should be submitted in two parts viz. **Technical Bid & Financial Bid.** 
  - (a) **Technical Bid:** Technical bid should contain information regarding the company/ firm registration details, Authorization letter, Clientele list (List of Users), Performance certificate from clients, self-declaration for not black listed, business turnover, experience and other details of the firm to judge the suitability of the bidder. **(Format II with Format I Check List)**
  - (b) **Financial Bid:** Financial bid should contain rate of the items required to be supplied along with tender form, duly filled and signed by the authorized person. Conditional Offer will not be accepted. **(Format III)**
  - (c) The Technical Bid will be opened on the prescribed tender opening date in the presence of agencies/ bidders/ firms or their authorized representative wishes to participate. The Financial Bid of all technically qualified agencies/ bidders/ firms will be opened as per the intimated/ scheduled date and time of financial bid opening.

#### 19. **Evaluation of bid**.

- (a) Technical Bid along with pre-qualification criteria of this tender will be evaluated by an evaluation committee nominated by competent authority to conclude the tender. Financial bids of bidders who are technically qualified as per evaluation committee will only be opened.
- (b) Unless otherwise stated in the price bid, it will be construed that the **price quoted is inclusive of all taxes and duties**. **No claim** in this regard will be entertained **at a later stage**.
- (c) The price quoted by the bidder should be final and no escalation shall be permitted during the contract period except for statutory levies or government escalation, enhanced or introduced subsequent to the date of submission of the price bid duly supported by documentary evidence unless otherwise expressly agreed to, in writing by both parties.
- (d) The **overall successful bidder/ lowest bidder (L1)** will be decided on the basis of lowest reasonably quoted **overall/ Grand Total** of **all tendered items** in Financial Bid.
- (e) **In case of tie** of reasonably quoted overall/ Grand Total, the following **criteria** will applied **as tie-breaker**: -
  - (i) Maximum average annual turnover of last three financial years of the agency/ firm/ company **if found equal**, then;
  - (ii) Maximum no. of Supply and installation of Double Beam UV-VIS Spectrophotometer or similar type items by the agency/ firm/ company

#### 20. **Rejection of Bids**:

- (a) If bidders give wrong information in their bid, University reserves the right to reject such bids at any stage and forfeit the **Bid Securing Declaration Form/ Performance Bank Guarantee** and cancel the order, if awarded.
- (b) If the **technical offer contains any price** information the offer will be **summarily rejected**.
- (c) Canvassing in any form in connection with the tender is strictly prohibited and the bids submitted by the bidder who resort to canvassing are liable for rejection.
- (d) Unsigned tenders/ bids, unattested corrections and over writing by bidders are also liable for rejection. **All pages** of this tender documents have to be **duly signed and stamped** by the authorised signatory.

- (e) Bids submitted without supporting documents as mentioned or required to submit with bids are liable to be rejected.
- (f) The Tenderer must confirm in their bid acceptance of all the terms and conditions in this enquiry. Any non-acceptance or deviations from the terms and conditions must be clearly brought out. However, tenderers must note carefully that any conditional offer or any deviation from the terms and conditions of this enquiry may render /liable the Quotation for rejection.
- (g) The University reserves the right to reject any or all the bids without assigning any reason thereof.
- (h) Incomplete tenders, amendments and additions to tender after opening are liable to be ignored and rejected.
- (i) The Technical Bid will not be considered for applicants who's **Tender Fee** and **Bid Securing Declaration Form** is not found in order.
- (j) Overwriting should be avoided. Correction, if any, should be made by neatly by crossing out, signed and re-writing. Use of fluid (whitener) is not allowed and such tenders shall be rejected. Pages of the tender document are numbered. Additional sheets, if any added by the supplier, before last date of submission of bid should also be numbered by him.
- 21. **Withdrawal of bids**. No bidder will be allowed to withdraw it's bid in the interval between the deadline of submission of bids and expiration of period of bid validity. Withdrawal of bid during this period will result in forfeiture of the bidder's bid security Declaration Form and other sanctions.
- 22. **Bid Validity**. Bids should be valid for a period of **180 days** from the date of opening of bid.
- 23. **Final decision making authority.** The Vice Chancellor, Central University of Jharkhand, Ranchi reserves the right to accept or reject any bid and to annul the tender process and reject any or all bid at any time, without assigning any reason or incurring any liability to the applicants.
- 24. <u>Cancellations of tender/ Contract</u>: The University reserves right to accept or reject any or all Bids. The University also reserves the right to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Purchaser's action. The University may cancel agreement entered with vendor in whole or in part, for no cause, upon written, email, or telex notice to the Vendor, in the event that the vendor: -
  - (a) Fails to comply with any term or condition of this order including, but not limited to, delivery terms; or
  - (b) Appoints a receiver, liquidator or trustee in bankruptcy or other similar officer over any or all of its property or assets; or
  - (c) Files a voluntary petition in bankruptcy; or
  - (d) Has had filed against it an involuntary petition in bankruptcy which remains in effect for thirty (30) days; or
  - (e) Voluntarily ceases trading; or
  - (f) Merges with or is acquired by a third party; or
  - (g) The delivery of the goods/ services is delayed for causes **not attributable to Force Majeure** for more than **15 days** after the scheduled date of delivery.; or
  - (h) The firm/agency is declared bankrupt or becomes insolvent.; or
  - (j) The delivery of goods/ services is delayed due to causes of Force Majeure by more than (06 months) provided Force Majeure clause is included in contract.; or
  - (k) The University has noticed that the supplier has utilised the services of any Indian/ Foreign agent in getting this contract and paid any commission to such individual/company etc.; or
  - (l) As per decision of the Arbitration Tribunal.; or
  - (m) Assigns any of its rights or obligations under the order to a third party without the university's prior written consent.; or

Upon the occasion of any one of the aforesaid and in addition to any remedies which the university may have in Law or in Equity, the university may also cancel this order or any outstanding deliveries hereunder by notifying the Vendor in writing of such cancellation and the Vendor shall thereupon transfer title and deliver to the university such work in progress or completed material/ services as may be requested by the university. The University shall have no liability to the Vendor beyond payment of any balance owing for Material/ service purchased hereunder and delivered to and accepted by the university prior to the Vendor's receipt of the notice of termination, and for work in progress requested for delivery to the university.

#### 25. Other terms & conditions.

- (a) Central University of Jharkhand reserves the right to verify/ seek confirmation of all original documentary evidence submitted by bidders in support of above mentioned specification for eligibility criterion. In case any information furnished by the bidder is found to be false/incorrect at any stage, the bid shall be summarily rejected and no correspondence on the same shall be entertained.
- (b) If any information furnished by the applicant is found to be incorrect at a later stage, he shall be liable to be debarred from tendering/taking up of work in Central University of Jharkhand. The Central University of Jharkhand reserves the right to verify the particulars furnished by the applicant independently.
- (c) The Central University of Jharkhand reserves the right to reject any or all prospective applicants without assigning any reason and to restrict the list of bidder to any number deemed suitable by it, if too many applications are received satisfying the basic PQ criteria.
- (d) The applicant may furnish any additional information which he thinks is necessary to establish his capabilities to successfully complete the envisaged supply. He is, however, advised not to furnish superfluous information. No information shall be entertained after submission of Tender document unless it is called for by the University.
- (e) After issuance of acceptance of the contract, you shall deploy the requisite no. of security personnel and commence the security services at the earliest as per the terms & conditions of the contract and the directives of the authorities of the university.
- 27. **Letter of transmittal**. The bidder should submit the letter of transmittal along with tender document **(Format-IX)**.

#### **SECTION - VII**

#### SPECIAL CONDITION OF CONTRACT

- 1. **Refund from Supplier**. If the supplier, after claiming and receiving reimbursements for GST or other taxes and so on, from the purchaser, applies to the concerned authorities for refunds, on genuine grounds, of certain portions of such duties and taxes paid by it and receives the allowable refunds. Such refunds contain the university's share also (out of the payments already made by the university to that supplier) and that should be **refunded to the University**.
- 2. **Rescheduling.** The University may without liability at least seven days prior to the scheduled delivery date appearing on the order defer delivery on any or every item under said order by giving oral notice to the Vendor (confirmed in writing within seven working days) of any necessary rescheduling.
- 3. <u>Site Visit</u>. The bidder, at the bidder's own responsibility, risk and expenses, may be encouraged to visit and examine the site and it's surroundings and shall obtain all information that may be necessary for preparing the bid and entering into a contract for the services.
- 4. **Patent Indemnity**. The Vendor shall have to indemnify, hold harmless and defend the University, its employees, and students with respect to all claims, suits, actions and proceedings of actual or alleged infringements of any Letter, Patent, Registered or Industrial Design, Trademark or Trade Name, Trade Secret, Copyright or other protected right in any country resulting from any sale, use or manufacture of any Material delivered hereunder and to pay and discharge all judgments, decrees, and awards rendered therein or by reason thereof and bear all expenses and legal fees (including the University's) associated herewith. The university reserves the right to be represented in any such action by its own counsel at its own expense.
- 5. <u>Compliance with Laws</u>. After acceptance of tender, successful bidder shall have to comply with the requirements of all the existing laws. The Vendor shall also have to comply with the Fair Labour Standards Act and the Occupational Safety and Health Act, and all other applicable laws, ordinances, regulations and codes in the Vendor's performance hereunder. The Vendor will have to indemnify and hold the University and its customers harmless from any loss or damage that may be sustained by the University, by reason of the Vendor's failure to comply with any laws, ordinance, regulations and codes.
- 6. <u>Settlements of disputes</u>. All the disputes shall be initially settled with mutual discussions or arbitration. Any dispute, disagreement of question arising out of or relating to this contract or relating to services or performance, which cannot be settled amicably, if any, with regard to providing services and interpretation of any clause in this agreement, the same shall be settled by way of Arbitration in the manner stated herein below.
- 7. **Place of Jurisdiction** The parties specially agreed that the courts of Ranchi alone shall have jurisdiction to adjudicate upon / entertain any claim with regard to the dispute between the parties hereto any matter arising out of the present agreement.
- 8. **Arbitration.** The arbitration proceedings will be followed as enumerated below: -
  - (a) All disputes or differences arising out of or in connection with the present contract or any part thereof, should be settled by bilateral discussions.
  - (b) Any dispute, disagreement of question arising out of or relating to this contract or relating to services or performance, which cannot be settled amicably, shall within sixty (60) days or such longer period as may be mutually agreed upon, from the date on which either party informs the

other in writing by a notice that such dispute, disagreement or question exists, will be referred to a sole Arbitrator, by the Vice Chancellor of the Central University of Jharkhand.

- (c) The seat of Arbitration shall have be at Ranchi.
- (d) The arbitration proceedings shall be conducted under the Indian Arbitration and Conciliation Act, 1996 as amended time to time.
- (e) Each party shall bear its own cost of preparing and presenting its case. The cost of arbitration including the fees and expenses there to shall be shared equally by the parties, unless otherwise awarded by the arbitrator.
- (f) The parties shall continue to perform their respective obligations under this contract during the pendency of the arbitration proceedings except in so far as such obligations are the subject matter of the said arbitration proceedings.
- (g) The language of the arbitration shall be English.
- 9. **Assignment/ Subcontracting/ Sublet.** The Firm/Agency shall not assign the order received, any rights under this agreement or to become due hereunder neither delegated nor subcontracted/ sublet any obligations or work hereunder without the prior written consent of the University.

#### 10. **Force Majeure clause:**

- (a) Neither party shall bear responsibility for the complete or partial non- performance of any of its obligations (except for failure to pay any sum which has become due on account of receipt of goods/ Services under the provisions of the present contract), if the non-performance results from such Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have arisen after the conclusion of the present contract.
- (b) In such circumstances the time stipulated for the performance of an obligation under the present contract is extended correspondingly for the period of time of action of these circumstances and their consequences.
- (c) The party for which it becomes impossible to meet obligations under this contract due to Force Majeure conditions, is to notify in written form the other party of the beginning and cessation of the above circumstances immediately, but in any case not later than 10 (Ten) days from the moment of their beginning.
- (d) Certificate of a Chamber of Commerce (Commerce and Industry) or other competent authority or organization of the respective country shall be a sufficient proof of commencement and cessation of the above circumstances.
- (e) If the impossibility of complete or partial performance of an obligation lasts for more than 6 (six) months, either party hereto reserves the right to terminate the contract totally or partially upon giving prior written notice of 30 (thirty) days to the other party of the intention to terminate without any liability other than reimbursement on the terms provided in the agreement for the goods received.
- 11. In case, the successful bidder is awarded with supply/ purchase order for supply and installation of Double Beam UV-VIS Spectrophotometer, **fail to execute** the ordered items/ services as per supply order/ agreement/ tender term & conditions, the University shall award the order to **the next higher responsive bidder at the rates offered by lowest responsive bidder [Rule 173(xvi) of GFR 2017]**.
- 12. **OEM/ Authorized Dealer/agents of Supplier:** when a firm sends quotation for an item manufactured by some different company, the firm is also required to attach, in its bid, the manufacturer's authorization certificate and also manufacturer's confirmation of extending the required warranty for that product. In cases where the manufacturer has itself submitted the bid, the bids of its authorized dealer will not be considered and EMD will be returned. **OEM's experience for qualification, will only be consider**

for only one authorised dealer, having OEM letter for participation in this particular tender as authorized representative of OEM.

- 13. **Conflict of Interest among Bidders/Agent:** The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:
  - (a) They have controlling partner (s) in common; or
  - (b) They receive or have received any direct or indirect subsidy/financial stake from any of them; or
  - (c) They have the same legal representative/agent for purposes of this bid; or
  - (d) They have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder; or
  - (e) Bidder participates in more than one bid in this bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/sub- assembly/assemblies from one bidding manufacturer in more than one bid.
  - (f) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorize only one agent/dealer. There can be only one bid from the following:
    - (i) The principal manufacturer directly or through one Indian agent on his behalf; and
    - (ii) Indian/foreign agent on behalf of only one principal.
  - (g) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid;
  - (h) In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/common business/management units in same/similar line of business.
- 17. All services for the successful supply & installation of ordered item shall be performed by persons qualified and experienced in performing such services.
- 18. Access to Books of Accounts: In case it is found to the satisfaction of the University that the firm/agency has engaged an Agent or paid commission or influenced any person to obtain the contract as described in clauses relating to Agents/Agency Commission and penalty for use of undue influence, the firm/agency, on a specific request of the University, shall provide necessary information/inspection of the relevant financial documents/information.
- 19. **Penalty for use of Undue influence:** The firm/ agency undertakes that he has not given, offered or promised to give, directly or indirectly, any gift, consideration, reward, commission, fees, brokerage or inducement to any person in service of the University or otherwise in procuring the Contracts or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of the present Contract or any other Contract with the Government of India for showing or forbearing to show favour or disfavour to any person in relation to the present Contract or any other Contract with the Government of India. Any breach of the aforesaid undertaking by the Seller or any one employed by him or

acting on his behalf (whether with or without the knowledge of the firm/ agency) or the commission of any offers by the firm/ agency or anyone employed by him or acting on his behalf, as defined in Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act, 1986 or any other Act enacted for the prevention of corruption shall entitle the University to cancel the contract and all or any other contracts with the firm/ agency and recover from the firm/ agency the amount of any loss arising from such cancellation. A decision of the University or his nominee to the effect that a breach of the undertaking had been committed shall be final and binding on the firm/ agency. Giving or offering of any gift, bribe or inducement or any attempt at any such act on behalf of the firm/ agency towards any officer/ employee of the University or to any other person in a position to influence any officer/ employee of the University for showing any favour in relation to this or any other contract, shall render the firm/ agency to such liability/ penalty as the University may deem proper, including but not limited to termination of the contract, imposition of penal damages, forfeiture of the Bank Guarantee and refund of the amounts paid by the University.

20. The supplier shall be available to contact at all times (24 X 07 Hrs a day) and message sent by WhatsApp, SMS, E-mail, Fax or any Special Messenger from University, shall be acknowledged immediately on receipt on the same day.

#### **SECTION - VII**

#### <u>FORMATS</u> (on letter head of Firm/ Agency)

Format - I

#### **CHECK LIST**

#### (To be filled by the bidder and submit supporting documents along with the Technical Bid.)

All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.

S. No.	Document details	Yes/ No	Page No. of Supporting documents
1.	Signed copy of Tender documents		
2.	Tender Fee		
3.	EMD Declaration Form (Format VII)		
4.	Valid MSME Certificate, if applicable		
5.	Company/ Firm registration details		
6.	Authorised Service Centre nearest from Ranchi (i.e. Authorised Dealership/ service centre Certificate, Registration documents, rent agreement/ property documents etc)		
7.	PAN No.		
8.	GST No.		
9.	Bank accounts details for NEFT payment		
10.	OEM / Authorised Dealership Certificate		
11.	OEM authorization letter for participation in this particular tender as authorized representative of OEM, <b>if applicable</b>		
12.	Income Tax Return (Last three years) ending 31st March, 2021		
13.	Certified copies of CA Audited Annual accounts of the last three years ending 31st March, 2021 by comprising following:-  (a) Balance sheet  (b) Profit and loss Statement  (c) Income and expenditure account		
14.	List of Clients and successfully executed supply orders for Double Beam UV-VIS Spectrophotometer or similar items during the last three years.		
15.	Copy of <b>one successfully executed supply order of</b> any Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies.		
16.	Maximum no. of Supply and installation of Double Beam UV- VIS Spectrophotometer or similar type items by the agency/ firm/ company (Attach supporting documents)		

17.	Acceptance of all terms & conditions towards after sales/		
	services as mentioned in the bid document.		
	Declaration of Non-Black Listing of firm, No family member/		
18.	relative at CUJ and other terms & conditions on Non-Judicial		
	paper (As per Format V).		
19.	Signed Un-priced copy of Financial Bid (BOQ) with "Nil"		
19.	written in Rate and amount Column.		
20.	Signed copies of any other documents as mentioned in tender		
20.	signed copies of any other documents as mendoned in tender		
21.	If any other supporting documents/ certificate/ information		
41.	supplied by bidder (ISO CERTIFICATION)		

<u>Note</u>: The tender/ bid shall be **submitted online** in two parts (Technical Bid and Financial Bid). The offers submitted by Post/ Fax/ email **shall not be considered**. No correspondence will be entertained in this matter.

(Signature of the Bidder with stamp of firm with Date)

#### TECHNICAL BID (on letter head of Firm/ Agency)

#### (A) GENERAL INFORMATION

Sl. No.	Particular	Details
1.	Name of the firm/ dealer/ agency	
2.	Address of the firm/ dealer/ agency	
3.	Address of Authorised Service Centre nearest to Ranchi	
4.	Mobile No.	
5.	E-mail	
6.	Registration Number and date of registration of company / cooperative / agency / SHG / Society, if any	
7.	Year of Establishment	
8.	Type of Organization: (Whether Proprietorship, Partnership, Private Ltd. Company or Co-operative body etc. In case the applicant is a non-individual, Certified copy of a Partnership deed/ Certificate of Incorporation/ Certificate of Registration issued by the Registrar of Cooperative Societies/ as the case should be enclosed)	
9.	GST Registration no.	
10.	PAN Card no.	
11.	Bank Accounts Details	
12.	OEM / Authorised Dealership No.	
13.	Annual Turnover (Rs. in Lakh) for last three Financial years.	FY 2018-19 Rs FY 2019-20 Rs FY 2020-21 Rs
14.	Income Tax Return for last three Financial years	FY 2018-19 FY 2019-20 FY 2020-21
15.	Successfully completed order/ Performance certificates from previous clients with contact no. from 2017-18 to till date separately in respect of tendered or similar items.	
16.	Do you have at least three years' experience for successful supply & installation of minimum 03 Double Beam UV-VIS Spectrophotometers or similar type of items to Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies/	

	Reputed Organisations/ Educational institute?	
17.	Copy of <b>one successfully executed supply order of</b> Double Beam UV-VIS Spectrophotometers or similar type of items to any Central/ State Government/ Central or State Govt. funded Academic and Research & Development (R&D) Institute or University / Autonomous bodies.	
18.	Maximum no. of Supply and installation of Double Beam UV-VIS Spectrophotometer or similar type items by the agency/ firm/company	
19.	Any other relevant information important in the opinion of the tenderer.	
20.	Name, Designation, Mobile Number and email of senior executives, who can be contacted at any time.	

**Note**: Attach supporting documents for all the above mentioned details. Tenderer may use separate / additional sheet wherever required.

(Signature of the Tenderer with stamp of firm with Date)

## TECHNICAL BID (on letter head of Firm/ Agency)

#### (B) FINANCIAL INFORMATION

<u>Financial Analysis</u>: Furnished following financial details, duly supported by certified copy of audited balance sheet, profit & loss statement for the last three years:

Financial Year	Annual Turn over	Profit / Loss	Remarks
FY 2018-19			
FY 2019-20			
FY 2020-21			
Gross Total			
Average Annual Turnover of three years			

(Signature of the bidder with stamp of firm with Date)

<b>Details of certifying Charter Accountant</b>	
Name:-	
Reg. No	
Membership No	
Address with Mobile no. and E-mail -	

**Certified by Chartered Accountant (ink signed with stamp)** 

### TECHNICAL BID (on letter head of Firm / Agency)

## FORM 'C': DETAILS OF SUCCESSFUL SUPPLY & INSTALLATION OF DOUBLE BEAM UV-VIS SPECTROPHOTOMETERS OR SIMILAR TYPE OF ITEMS DURING LAST 03 YEARS.

Sl. No.	Name of tendered/ similar item supplied	Name of the organization & location	Value of order (in Lakh)	Date of delivery as per the order	Actual date of supply	Details* of any Litigation/ arbitration executed/ pending/ in progress, if any
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						

<sup>\*</sup>also Indicate gross amount claimed and amount awarded by the Arbitrator

#### Notes: -

- 1. Submit the relevant supporting documents.
- 2. Please mention all successfully executed supply/ purchase order.
- 3. For delivery date, submit copy of supply/ purchase order.
- 4. For actual date of supply, submit copy of completion certificate from the purchaser.
- 5. Please clearly indicate the supply/ purchase order (in the above form) on the basis of which pre-qualification is being sought.

(Signature of the Tenderer with stamp of firm with Date)

#### FORM 'D': TECHNICAL SPECIFICATIONS (COMPLIANCE STATEMENT)

Technical specification and requirements for "Supply and installation of "Double Beam UV-VIS Spectrophotometer"

Item No.: CIF 01	Technical Specifications for PC based Double Beam UV-VIS Spectrophotometer should have following minimum specifications (better & higher specification will be given preference)			
Qty.	01 No.			
Feature	Specifications	Compiled (Yes/No)	Deviation (if any)	
Instrument	PC based Double Beam UV-VIS Spectrophotometer			
Measurement modes	PC controlled system with Quantitative Analysis: Wavelength scan (Abs, %T, %R, Sample, Reference), Time scan (Abs, %T, %R, Sample, Reference), Abs/%T monitor			
Wavelength Range	190 to 900 nm or higher with an Integrating Sphere attachment having dual detector			
Spectral Bandwidth	0.1 to 5 nm or better			
Resolution	0.1 nm or better			
Wavelength Accuracy	±0.1 nm or better			
Wavelength Repeatability	±0.05 nm or better			
Wavelength scanning rate	4000 to 0.5 nm/min			
Wavelength scan rate	14000 nm/min or better			
Light source	Deuterium lamp and Tungsten-Halogen lamp with light source auto position adjustment built in			
Detector	Photomultiplier (PMT)			
Stray Light	≤ 0.005 %T (220 nm NaI) or better			
Photometric system	Double beam			
Photometric range	-5 to 5 Abs or higher			
Photometric accuracy	± 0.002 Abs (0.5 Abs) or better			
Photometric Repeatability	± 0.001 Abs or less (0.5 Abs)			
Base line flatness	0.0002 Abs/hr or less (700 nm, 1 hour after light source is turned ON)			
Baseline stability	± 0.0003 Abs (200 to 860 nm, 1 hour after light source is turned ON)			
Light source	50W halogen lamp (2000 hr Life), Deuterium lamp (socket Type, 2000 hr life) Automation Position alignment mechanism built in.			
Monochromator	Czerny-Turner mounting, Single monochromator, Double- beam system, 1,300 lines/mm, 240 nm blazed grating			
Ambient Temperature	15°C - 35°C			

Essential Accessories	Standard calibration kit	
Listericiai riceessories	• Quartz cuvettes 10 mm path length -2	
	Pairs , Matched Pair	
	• Integrating Sphere Attachment:	
	Wavelength range : 220 nm to 900 nm	
	or better, Diffuse and Specular	
	Reflectance measurements are possible,	
	Samples like Powder, Solid, colloidal	
	sample, Thin Film etc are measured by	
	using this accessory, The Integrating	
	Sphere should be equipped with two	
	detectors: a photomultiplier tube and an InGaAs detector, Minimum Inner	
	diameter of integrating sphere: 60 mm,	
	Maximum size of reflectance sample:	
	W95 × H135 × T20 mm (0° incidence	
	side), W70 × H70 × T12 mm (8°	
	incidence side)	
	• Anti-Vibration Table – 1 No & Table for	
	Desktop PC – 1 No., Chair – 2No.	
	Desktop PC with 64 Bit Windows 10 OS	
	licensed (Annexure- A)	
	Suitable Online 5 kVA UPS with at-least	
	1hr back up (Annexure-B)	
Data Darasa's	Laser Printer  Park Side of Park Side o	
Data Processing	Peak picking, Peak height, Peak area, Peak width, Derivatives, Smoothing, Data truncation,	
	Arithmetic, Baseline correction, Subtraction,	
	Deconvolution, Vertical axis conversion,	
	Horizontal axis conversion, etc.	
Software	• Instrument software must be the latest	
	version and should have a real time	
	reference curve capability and calculation	
	capability	
	Software should be compatible for  or all are all are with all required.	
	windows 10 or above with all required functions for Instrument control, data	
	acquisition and analysis and necessary	
	report utilities	
	Operating software which allows for the	
	instrument to be fully calibrated and	
	verified automatically.	
	• The data file format {Data and graphic	
	export to MS office, origin, etc (.csv, .txt, and .dat format)} should easily allow	
	sharing/transfer of data files as individual	
	electronic documents, which are readable	
	by the same data analysis package.	
	The software should be having options for	
	creating user defined templates for reports	
	in required format.	
	Data storage facility and provision to	

	conduct post measurement analysis and	
	review of test results at a later date.	
Installation	Installation and commissioning should be at	
	free of cost at Central University of Jharkhand	
	(CUJ), Ranchi, Jharkhand.	
Warranty	Minimum warranty of 2 years should be quoted	
	with main system and two years of	
	comprehensive warranty from the date of	
	installation on the complete system, including all the subsystems (accessories/consumables /	
	spares parts) of the equipment. All accessories/	
	consumable/ spare parts replaced shall be	
	from OEM/ Supplier of same model or higher	
	version. If within a period of three years after	
	commission, any accessory / consumable/	
	spare part is proved to be defective then such	
	product shall be replaced by the manufacturer	
	/ supplier. Such replacement shall be sole	
	obligation of manufacturer / supplier,	
	Including payment of charges for freight	
	delivery, custom duty and transportation, if any. In case of breakdown during the warranty	
	period, a competent Service Engineering of the	
	supplier should make as many visits as are	
	required to rectify the problem and replace the	
	faulty parts, without any liability of cost. But it	
	should be repaired/ contacted within 72	
	working hours from the date and time of	
_	complaint lodged by the user.	
Service and spare parts	System must offer at least 5 years Service and	
supports	spare parts supports after warranty period.	
Application Training	Onsite training to personnel for smooth	
	operation of the instruments. Training	
	should be divided in two parts.	
	• Service Support Factory trained Engineers, specify the no. Of Engineers with base	
	location, Response time, Availability of	
	Parts, Consumables, number of visits needs	
	to be provided.	
	Application lab must be in India to address	
	application related issues.	
	• Spares: The supplier of the instrument	
	must confirm in writing that the spares for	
	the entire instrument will be available for	
	a period of at least ten years after the	
m v v-	installation of the instrument.	
Terms and conditions	• The policy of up gradations/add-ons,	
	service and maintenance must be	
	extensively mentioned in the submitted	
	quotations.  The wonder should have local application	
	• The vendor should have local application and service support.	
	<ul> <li>Installation and commissioning should be</li> </ul>	
	- mstanation and commissioning should be	21 of 16

	<ul> <li>at free of cost. The institution will provide only the space for installation. Manufacturer has to provide all the requirements for installation and commissioning. The suitable computer table and two chairs to be quoted.</li> <li>The vendor should provide necessary computer and Laser colour printer along with the instrument as per the specifications given for them.</li> <li>Vendors must supply appropriate documents specifying their users in higher academic institutions in India.</li> </ul>	
Calibration Certificate	<ul> <li>Issue from Government Lab/NABL accredited lab</li> </ul>	
Note: Additional requirement as per the suppliers, if any.	• The details including price may be quoted for additional items/softwares which may be required for operationalization of the equipment, if any.	

#### **COMPUTER SPECIFICATION**

(Annexure- A)

COMPUTER SPECIFICATION	Ι	(Annexui	e- Aj
Processor	Specification	Compiled (Yes/No)	Deviation (if any)
Processor Make	Intel		
Processor Generation	10 and above		
Number of cones per Processor	8		
Processor Base Frequency (GHz)	3		
Processor description	Intel Core i5		
Processor Number	Intel Core i5		
Out of Brand Management	NA		
Cache (MB)	9		
Motherboard			
Chipset series	Intel B Series / H series		
Expansion slots (PCIe x 1) (Number)	1		
Chipset number	Intel B 365 / H 370		
Expansion slots (PCIe x 16) (Number)	1		
Expansion slots (PCI) (Number)	1		
Expansion Slots (M Dot 2)	2		
Graphics			
Graphics Type	Integrated		
Graphic Card Description	UHD 630		
Size of VRAM in case of Integrated Graphics (MB)	128		
Operating System			
Operating system (Factory Pre- Loaded)	Windows 10 Professional		
Recovery Image Media	On Line / Cloud		
OS Certification	Windows		
Memory			
Type of RAM	DDR4		
RAM Size (GB)	6		
RAM Speed (MHz)	2666 or more		

Number of DIMM Slots populated RAM expandability up to (using spare DIMM slots in GB) Storage Total Number if Internal Bays available Number of 2 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) Total HDD Capacity (GB) Cabinet Cabinet Cabinet Form Factor Cabinet Volume (Litres) Total HDD Capacity (GB) Total HDD Capacity (GB	Tatal Nl CDIMM alata A:lalala	1.0	
RAM expandability up to (using spare DIMM slots in GB)  Storage  Total Number if Internal Bays available 2  Number of 2 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Type of Drives used to populated the internal Bays 1  Type of Drives used to populated with HDD  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet Capacity of each HDD (GB) 1000 Cabinet  Cabinet Form Factor Tower (13.1 to 26 Litres)  Cabinet Volume (Litres) 15.1  External Bays (Number) 1  Optical drive DVD R/W  Internal Speaker Yes Audio-out Yes 4  Headphone out Yes 1  Microphone-in Yes 1  Connectivity Yes 1  Mircless connectivity Yes 1  If yes, Type of wireless connectivity W-Fi B02.11bc  Number of Ethernet Ports 1  Type of Ethernet Ports 1  Number of USB Version 2 Point 0 Ports 4  Number of USB Version 3 point 0/3 point 1, Gen 1 Ports  Number of BSB Version 3 point 0/3 point 1, Gen 1 Ports  Number of HDMI Ports 1  Number of HDMI Ports in the Monitor 1  Number of HDMI Ports in the Monitor 1  Number of Diplay Ports in the Monitor 1	Total Numbers of DIMM slots Available	2	
DIMM slots in GB)  Storage  Total Number of 2 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Number of 3 point 5 inches internal Bays 1  Populated 1  Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD 1  Capacity of each HDD (GB) 1000@7200 rpm 1  Total HDD Capacity (GB) 1000  Cabinet 2  Cabinet Form Factor Tower (13.1 to 26 Litres) 15.1  External Bays (Number) 1  Optical drive DVD R/W 1  Internal Speaker Yes 1  Audio-out Yes 1  Microphone-in Yes 1  Connectivity Wireless connectivity Wireless connectivity Wireless connectivity Wireless connectivity Wireless connectivity Yes 1  If yes, Version of Bluetooth available 4.2  Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports 1  Number of USB Version 3 point 0/3 point 1, Gen 1 Ports 1  Number of HDM Ports 1  Monitor Monitor P224  Monitor Technology IPS 1  Number of HDM Ports 1  Number of HDM Ports 1  Number of HDM Ports in the Monitor 1  Number of Display Ports in the Monitor 1			1
Total Number of 2 point 5 inches internal Bays   1		32	
Number of 2 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Number of 3 point 5 inches internal Bays Populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD  Capacity of each HDD (GB) Capacity of each HDD (GB) Total HDD Capacity (GB)  Cabinet Cabinet Cabinet Form Factor Cabinet Volume (Litres) Istance Bays (Number) Total HDD Capacity (GB)  Optical drive DVD R/W Internal Bays (Number) Internal Speaker Ves Audio-out Headphone out Yes Headphone out Yes Connectivity Wireless connectivity Wireless connectivity Wireless connectivity Wireless connectivity Wireless connectivity Yes If Yes, Type of wireless connectivity Yes If yes, Version of Bluetooth available Ports Number of USB Version 2 Point 0 Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of HDMI Ports Number of HDMI Ports Monitor Monitor Monitor Pechalogy Monitor Number of Wish Monitor Monitor Resolution (PIXELS) TOURD HDMI PORT in the Monitor Number of USB Ipola in the Monitor Number of USB Ports in the Monitor Number of USB Ipola in the Monitor Number of USB Ipola in the Monitor Number of USA Ports in the Monitor Number of USA Ports in the Monitor Number of USB Ipola in the Monitor Number of USA Ports in the Monitor Number of Display Ports in the Monitor Number of USA Ports in the Monitor			
Number of 3 point 5 inches internal Bays Number of 3 point 5 inches Internal Bays Populated  Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD  Capacity of each HDD (GB)  Cabinet  Cabinet Form Factor Cabinet Form Factor Cabinet Volume (Litres) External Bays (Number)  1  Optical drive DVD R/W Internal Speaker  Audio-in Headphone out Headphone out Headphone out Microphone-in Connectivity Wireless connectivity Wireless connectivity Wireless connectivity Number of Ethernet Ports Bluetooth connectivity If yes, Version of Bluetooth available Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports Number of BDM Ports  Monitor Model of the Monitor Monitor Resolution (PIXELS) Number of USB Iports in the Monitor Number of BDM Ports in the Monitor Number of Bipplay Ports in the Monitor Input Devices  Number of Display Ports in the Monitor Input Devices  Number of Display Ports in the Monitor Input Devices  Number of Display Ports in the Monitor Input Devices  Input Devices  I Dougon Tour Input Devices In			
Number of 3 point 5 inches Internal Bays Populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD Capacity of each HDD (GB) 1000@7200 rpm Total HDD Capacity (GB) 1000 Cabinet Cabinet Form Factor Tower (13.1 to 26 Litres) Cabinet Volume (Litres) 15.1 External Bays (Number) 1 Optical drive DVD R/W Internal Speaker Yes Audio-in Yes Audio-in Yes Headphone out Yes Headphone out Yes Microphone-in Yes Microphone-in Yes Mireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 Type of Ethernet Ports 1 Type of Ethernet Ports 1 Type of Ethernet Ports 1 I 1 Type of Ethernet Ports 1 I 1 I 1 I 1 I 2 I 3 I 4 I 4 I 5 I 6 I 7 I 7 I 7 I 9 I 9 I 1 I 1 I 1 I 1 I 1 I 1 I 1 I 1 I 1 I 1	Number of 2 point 5 inches internal Bays	1	
Populated Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet Cabinet Form Factor Tower (13.1 to 26 Litres)  Cabinet Volume (Litres) 15.1  External Bays (Number) 1 00V R/W  Internal Speaker Yes Audio-in Yes Headphone out Yes Headphone out Yes Hirrophone-in Yes Connectivity Wireless connectivity Yes If Yes, Type of wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2  Ports Number of USB Version 2 Point 0 Ports 4 Number of Serial Ports 1 Number of Ports 1 Number of Serial Ports 1 Number of Ports 1 Number of DMM Ports 1 Number of Ports 1 Number of Serial Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor P224 Monitor Technology IPS LED Backlit Monitor size (INCHES) 1920 x 1080 Number of USA Ports in the Monitor 1 Number of Jospala Ports in the Monitor 1 Input Devices	Number of 3 point 5 inches internal Bays	1	
Type of Drives used to populated the internal Bays Number of Internal Bays populated with HDD  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet  Cabinet Form Factor Tower (13.1 to 26 Litres)  Cabinet Volume (Litres) 15.1  External Bays (Number) 1  Optical drive DVD R/W  Internal Speaker Yes Audio-in Yes Audio-in Yes Audio-in Yes Audio-in Yes Audio-in Yes Audio-out Yes Yes Microphone-in Yes Microphone-in Yes Microphone-in Yes Tometrivity Wireless connectivity Wireless connectivity Wish B02.11bc Mumber of Ethernet Ports 1  Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2  Ports  Number of USB Version 2 Point 0 Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports 1  Number of WGA Ports 1  Number of WGA Ports 1  Number of PDMI Ports 1  Number of HDMI Ports 1  Monitor Resolution (PIXELS) 1920 x 1080  Tower of USB Version the Monitor 1  Number of Display Ports in the Monitor 1  Input Devices	Number of 3 point 5 inches Internal Bays	1	
Internal Bays Number of Internal Bays populated with HDD  Capacity of each HDD (GB) 1000@7200 rpm  Total HDD Capacity (GB) 1000  Cabinet  Cabinet Form Factor Tower (13.1 to 26 Litres)  Cabinet Volume (Litres) 15.1  External Bays (Number) 1 0PV R/W  Internal Speaker Yes Audio-in Yes Audio-out Yes Headphone out Yes Microphone-in Yes  Microphone-in Yes  Connectivity Yes  If Yes, Type of wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 10/100/1000 on board Bluetooth connectivity Yes  If yes, Version of Bluetooth available 4.2  Ports Number of USB Version 2 Point 0 Ports 4 Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Forts 1 1 Number of HDMI Ports 1 1 Number of HDMI Ports 1 1  Monitor Technology IPS LED Backlit Monitor size (INCHES) 1920 x 1080  Number of Display Ports in the Monitor 1 Input Devices	1		
Number of Internal Bays populated with HDD Capacity of each HDD (GB) 1000@7200 rpm Total HDD Capacity (GB) 1000 Cabinet Cabinet Form Factor Tower (13.1 to 26 Litres) Cabinet Volume (Litres) 15.1 External Bays (Number) 1 Optical drive DVD R/W Internal Speaker Yes Audio-in Yes Audio-in Yes Audio-out Yes Microphone-in Yes Microphone-in Yes Mireless connectivity Yes If Yes, Type of wireless connectivity Yes If yes, Version of Bluetooth available Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of HOMI Ports 1 Number of HOMI Ports 1 Number of HOMI Ports 1 Number of Homitor P224 Monitor Resolution (PIXELS) 1920 x 1080 Number of VGA Ports in the Monitor Number of USB Ports in the Monitor Number of USA Ports in the Monitor 1 Number of Display Ports in the Monitor 1		HDD	
HDD   Capacity of each HDD (GB)   1000@7200 rpm   Total HDD Capacity (GB)   1000   Cabinet   Cabinet Form Factor   Tower (13.1 to 26 Litres)   Cabinet Volume (Litres)   15.1   External Bays (Number)   1   1   1   1   1   1   1   1   1			
Capacity of each HDD (GB) 1000@7200 rpm Total HDD Capacity (GB) 1000  Cabinet Cabinet Form Factor Tower (13.1 to 26 Litres) Cabinet Volume (Litres) 15.1 External Bays (Number) 1 Optical drive DVD R/W Internal Speaker Yes Audio-in Yes Audio-in Yes Microphone-in Yes Headphone out Yes Microphone-in Yes Connectivity Yes Wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2 Ports Number of USB Version 2 Point 0 Ports Number of Serial Ports 1 Number of Serial Ports 1 Number of Find Ports 1 Number of HDMI Ports 1 Number of HDMI Ports 1 Number of Hondior P224 Monitor Resolution (PIXELS) 1920 x 1080 TCO Certification for Monitor 1 Number of USB Ports in the Monitor 1 Number of USP Ports in the Monitor 1 Number OF Ports in the Monitor 1		1	
Total HDD Capacity (GB)  Cabinet Cabinet Form Factor Cabinet Form Factor Tower (13.1 to 26 Litres)  Cabinet Form Factor Tower (13.1 to 26 Litres)  I S.1 External Bays (Number) I Optical drive DVD R/W Internal Speaker Audio-in Yes Audio-out Yes Headphone out Yes Headphone out Wes Headphone out Wicrophone-in Yes Connectivity Wireless connectivity Wireless connectivity Wireless connectivity Wireless connectivity Yes If Yes, Type of wireless connectivity Yes If yes, Type of Bithernet Ports I 1 Type of Ethernet Ports Internate Ports Internat			
Cabinet Form Factor Tower (13.1 to 26 Litres) Cabinet Volume (Litres) 15.1 External Bays (Number) 1 Optical drive DVD R/W Internal Speaker Yes Audio-in Yes Audio-out Yes Headphone out Yes Microphone-in Yes Microphone-in Yes Connectivity Yes If Yes, Type of wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2 Ports Number of USB Version 2 Point 0 Ports 4 Number of Serial Ports 1 Number of Serial Ports 1 Number of HDMI Ports 1 Number of HDMI Ports 1 Monitor Monitor P224 Monitor Resolution (PIXELS) 1920 x 1080 TCO Certification for Monitor 1 Number of USB Ports in the Monitor 1 Number of Sisplay Ports in the Monitor 1 Number of Sisplay Ports in the Monitor 1 Number of DISI Ports in the Monitor 1 Number of Sisplay Ports in the Monitor 1 Number of DISI Ports in the Monitor 1		•	
Cabinet Form Factor Tower (13.1 to 26 Litres) Cabinet Volume (Litres) 15.1  External Bays (Number) 1 Optical drive DVD R/W Internal Speaker Yes Audio-in Yes Audio-in Yes Audio-out Yes Headphone out Yes Microphone-in Yes Microphone-in Yes Microphone-in Yes Mireless connectivity Yes If Yes, Type of wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2  Ports Number of USB Version 2 Point 0 Ports 4 Number of Serial Ports 1 Number of Serial Ports 1 Number of WGA Ports 1 Number of Holl Ports 1 Number of Holl Ports 1 Monitor Pack In Monitor P224 Monitor Resolution (PIXELS) 1920 x 1080 TCO Certification for Monitor 1 Number of WGA Ports in the Monitor 1 Number of Sipal Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices	1 1 1	1000	
Cabinet Volume (Litres) 15.1  External Bays (Number) 1 Optical drive DVD R/W Internal Speaker Yes Audio-in Yes Audio-out Yes Headphone out Yes Microphone-in Yes Connectivity Wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2 Ports Number of USB Version 2 Point 0 Ports Number of Serial Ports 1 Number of FDMI Ports 1 Number of HDMI Ports 1 Number of PDMI Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of VGA Ports 1 Number of VGA Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor P224 Monitor Technology IPS LED Backlit Monitor Size (INCHES) 1920 x 1080 TCO Certification for Monitor 1 Number of VGA Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices			
External Bays (Number)  Optical drive  DVD R/W  Internal Speaker  Yes  Audio-in  Yes  Audio-out  Yes  Headphone out  Yes  Microphone-in  Connectivity  Wireless connectivity  If Yes, Type of wireless connectivity  Number of Ethernet Ports  I 10/100/1000 on board  Bluetooth connectivity  Yes  If yes, Version of Bluetooth available  Ports  Number of USB Version 2 Point 0 Ports  Number of Serial Ports  Number of Serial Ports  Number of Serial Ports  Number of HDMI Ports  Monitor  Model of the Monitor  Monitor Technology  LED Backlit Monitor size (INCHES)  Tope of VGA Ports in the Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Number of Display Ports in the Monitor  Number of Display Ports in the Monitor		,	
Optical drive			
Internal Speaker Yes Audio-in Yes Audio-out Yes Headphone out Yes Headphone out Yes Connectivity Wireless connectivity Yes If Yes, Type of wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2 Ports Number of USB Version 2 Point 0 Ports 4 Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor P224 Monitor Technology IPS LED Backlit Monitor size (INCHES) 21.5 Monitor Resolution (PIXELS) 1920 x 1080 TCO Certification for Monitor 1 Number of Display Ports in the Monitor 1 Input Devices			
Audio-in Yes Audio-out Yes Microphone-in Yes Microphone-in Yes Microphone-in Yes  Connectivity Wireless connectivity Yes If Yes, Type of wireless connectivity Wi-Fi B02.11bc Number of Ethernet Ports 1 Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available 4.2 Ports Number of USB Version 2 Point 0 Ports 4 Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports 1 Number of Serial Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor P224 Monitor Technology IPS LED Backlit Monitor size (INCHES) 21.5 Monitor Resolution (PIXELS) 1920 x 1080 TCO Certification for Monitor 1 Number of Usp Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices	1		
Audio-out  Headphone out  Yes  Microphone-in  Connectivity  Wireless connectivity  If Yes, Type of wireless connectivity  Number of Ethernet Ports  Type of Ethernet Ports  In 10/100/1000 on board  Bluetooth connectivity  Yes  If yes, Version of Bluetooth available  Ports  Number of USB Version 2 Point 0 Ports  Number of USB Version 3 point 0/3 point  I, Gen 1 Ports  Number of Serial Ports  Number of VGA Ports  Number of HDMI Ports  Monitor  Model of the Monitor  Model of the Monitor size (INCHES)  LED Backlit Monitor size (INCHES)  TO Dertification for Monitor  Number of VGA Ports in the Monitor  Number of UGA Ports in the Monitor  Number of Display Ports in the Monitor  Number of Display Ports in the Monitor	Internal Speaker	Yes	
Headphone out Microphone-in Yes  Connectivity Wireless connectivity Wireless connectivity Wis-Fi B02.11bc Number of Ethernet Ports Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available Ports Number of USB Version 2 Point 0 Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports Number of Forts 1 Number of HDMI Ports 1 Monitor Model of the Monitor Monitor Technology IPS LED Backlit Monitor size (INCHES) TCO Certification for Monitor Number of VGA Ports in the Monitor Number of UGA Ports in the Monitor Number of UGA Ports in the Monitor 1 Number of HDMI Ports in the Monitor Number of UGA Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices	Audio-in	Yes	
Microphone-in  Connectivity  Wireless connectivity  Wireless connectivity  Wiseless connectivity  Yes  In 10/100/1000 on board  Bluetooth connectivity  Yes  If yes, Version of Bluetooth available  Ves  In yes  In y	Audio-out	Yes	
Connectivity Wireless connectivity Wes Unumber of Ethernet Ports Ununber of Bluetooth available Wireless connectivity Wes Ununber of USD Version 2 Point 0 Ports Value Val	Headphone out	Yes	
Wireless connectivity  If Yes, Type of wireless connectivity  Number of Ethernet Ports  Type of Ethernet Ports  1	Microphone-in	Yes	
If Yes, Type of wireless connectivity  Number of Ethernet Ports  Type of Ethernet Ports  1 10/100/1000 on board  Bluetooth connectivity  Yes  If yes, Version of Bluetooth available  Ports  Number of USB Version 2 Point 0 Ports  Number of USB Version 3 point 0/3 point  1, Gen 1 Ports  Number of Serial Ports  Number of Serial Ports  1 1	Connectivity		
Number of Ethernet Ports Type of Ethernet Ports 10/100/1000 on board Bluetooth connectivity Yes If yes, Version of Bluetooth available Ports Number of USB Version 2 Point 0 Ports Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor Monitor Technology LED Backlit Monitor size (INCHES) TCO Certification for Monitor Number of VGA Ports in the Monitor Number of USB Version 2 Point 0 Ports 1 Number of USB Version 3 point 0/3 point 4 1, Gen 1 Ports 1 Number of VGA Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of USB Version 2 Point 0 Ports 1 Number of Display Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices	Wireless connectivity	Yes	
Type of Ethernet Ports Bluetooth connectivity Yes If yes, Version of Bluetooth available Ports  Number of USB Version 2 Point 0 Ports  Number of USB Version 3 point 0/3 point 1, Gen 1 Ports  Number of Serial Ports  Number of VGA Ports  Number of HDMI Ports  Monitor  Model of the Monitor Model of the Monitor size (INCHES)  LED Backlit Monitor size (INCHES) TCO Certification for Monitor  Number of USB Version 3 point 0/3 point 4  1  1  1  1  1  1  1  1  1  1  1  1	If Yes, Type of wireless connectivity	Wi-Fi B02.11bc	
Bluetooth connectivity If yes, Version of Bluetooth available Ports  Number of USB Version 2 Point 0 Ports 4 Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor Model of the Monitor Size (INCHES) LED Backlit Monitor size (INCHES) TCO Certification for Monitor Number of HDMI Ports in the Monitor Number of Display Ports in the Monitor Number of Display Ports in the Monitor Number of Display Ports in the Monitor Input Devices	Number of Ethernet Ports	1	
If yes, Version of Bluetooth available Ports  Number of USB Version 2 Point 0 Ports 4 Number of USB Version 3 point 0/3 point 1, Gen 1 Ports Number of Serial Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor Model of the Monitor Size (INCHES) LED Backlit Monitor size (INCHES) TCO Certification for Monitor Number of VGA Ports in the Monitor Number of HDMI Ports in the Monitor 1 Number of Display Ports in the Monitor Number of Display Ports in the Monitor 1 Input Devices	Type of Ethernet Ports	10/100/1000 on board	
Ports  Number of USB Version 2 Point 0 Ports 4  Number of USB Version 3 point 0/3 point 1, Gen 1 Ports  Number of Serial Ports  Number of VGA Ports  1  Number of HDMI Ports  Monitor  Model of the Monitor  Monitor Technology  LED Backlit Monitor size (INCHES)  Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of HDMI Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Number of Display Ports in the Monitor  Input Devices	Bluetooth connectivity	Yes	
Number of USB Version 2 Point 0 Ports  Number of USB Version 3 point 0/3 point 1, Gen 1 Ports  Number of Serial Ports  1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor  Model of the Monitor  Monitor Technology  LED Backlit Monitor size (INCHES)  LED Backlit Monitor (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Input Devices	If yes, Version of Bluetooth available	4.2	
Number of USB Version 3 point 0/3 point 1, Gen 1 Ports  Number of Serial Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor Monitor Technology LED Backlit Monitor size (INCHES) LED Backlit Monitor Size (INCHES) TCO Certification for Monitor Number of VGA Ports in the Monitor Number of HDMI Ports in the Monitor Number of Display Ports in the Monitor Input Devices	Ports		
1, Gen 1 Ports Number of Serial Ports 1 Number of VGA Ports 1 Number of HDMI Ports 1 Monitor Model of the Monitor Monitor Technology LED Backlit Monitor size (INCHES) 21.5 Monitor Resolution (PIXELS) 1920 x 1080 TCO Certification for Monitor Number of VGA Ports in the Monitor Number of Display Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices	Number of USB Version 2 Point 0 Ports	4	
Number of VGA Ports  Number of VGA Ports  1  Number of HDMI Ports  1  Monitor  Model of the Monitor  Monitor Technology  LED Backlit Monitor size (INCHES)  Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Input Devices	Number of USB Version 3 point 0/3 point	4	
Number of VGA Ports1Number of HDMI Ports1MonitorP224Monitor TechnologyIPSLED Backlit Monitor size (INCHES)21.5Monitor Resolution (PIXELS)1920 x 1080TCO Certification for Monitor8Number of VGA Ports in the Monitor1Number of HDMI Ports in the Monitor1Number of Display Ports in the Monitor1Input Devices1	1, Gen 1 Ports		
Number of HDMI Ports1MonitorP224Monitor TechnologyIPSLED Backlit Monitor size (INCHES)21.5Monitor Resolution (PIXELS)1920 x 1080TCO Certification for Monitor8Number of VGA Ports in the Monitor1Number of HDMI Ports in the Monitor1Number of Display Ports in the Monitor1Input Devices1	Number of Serial Ports	1	
MonitorP224Monitor TechnologyIPSLED Backlit Monitor size (INCHES)21.5Monitor Resolution (PIXELS)1920 x 1080TCO Certification for Monitor8Number of VGA Ports in the Monitor1Number of HDMI Ports in the Monitor1Number of Display Ports in the Monitor1Input Devices1	Number of VGA Ports	1	
Model of the MonitorP224Monitor TechnologyIPSLED Backlit Monitor size (INCHES)21.5Monitor Resolution (PIXELS)1920 x 1080TCO Certification for Monitor8Number of VGA Ports in the Monitor1Number of HDMI Ports in the Monitor1Number of Display Ports in the Monitor1Input Devices1	Number of HDMI Ports	1	
Monitor TechnologyIPSLED Backlit Monitor size (INCHES)21.5Monitor Resolution (PIXELS)1920 x 1080TCO Certification for Monitor8Number of VGA Ports in the Monitor1Number of HDMI Ports in the Monitor1Number of Display Ports in the Monitor1Input Devices1	Monitor		
LED Backlit Monitor size (INCHES)  Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Input Devices	Model of the Monitor		
Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Input Devices	Monitor Technology	IPS	
TCO Certification for Monitor 8 Number of VGA Ports in the Monitor 1 Number of HDMI Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices			
Number of VGA Ports in the Monitor1Number of HDMI Ports in the Monitor1Number of Display Ports in the Monitor1Input Devices1		1920 x 1080	
Number of HDMI Ports in the Monitor 1 Number of Display Ports in the Monitor 1 Input Devices	TCO Certification for Monitor		
Number of Display Ports in the Monitor 1 Input Devices	Number of VGA Ports in the Monitor	1	
Input Devices	Number of HDMI Ports in the Monitor	1	
	Number of Display Ports in the Monitor	1	
1111	Input Devices		
Mouse Connectivity Wired	Mouse Connectivity	Wired	
Type of Mouse Optical Scroll	Type of Mouse	Optical Scroll	

Keyboard Connectivity	Wired	
Type of Keyboard	Standard	
Warranty		
On Site OEM Warranty (Year)	3	

SPECIFICATION OF MULTI-FUNCTION LASER PRINTER AND UPS (A

(A)	nn	exu	re-	B)	
					Ī

Name of Equipment	Specification	Compiled (Yes/No)	Deviation (if any)	
MULTI FUNCTION LASER PRINTER				
Print Technology	Laser Jet			
Type of Machine	Multifunction Machine			
Function	Colour Scan, Copy, Print			
Type of Printing	Colour			
Print Speed	20 pages per minutes			
Scanning & Copying Feature Availability	Yes			
Duplexing Feature Availability	Yes			
Wi- Fi Availability	Yes			
Printer Quality	The minimum for black and white prints should be around 600 x 600 DPI while for coloured prints 1200 x 1440 DPI is a good place to start.			
Paper Tray Capacity	Paper tray capacity is the around 250-550 sheets of Letter, A4, or Legal size paper.			
UPS				
UPS	Suitable Online 5KVA UPS, Generator Compatible, Wide input Range: 140 – 300 V, With Cold Start Function & AVR which regulates voltage automatically, 1 hr Backup			

(Signature of the Tenderer with stamp of firm with Date)

#### **FINANCIAL BID / BOO**

#### (On letter head of Firm/ Agency)

#### Price Quoted by firm/ agency (in Rupees)

## "SUPPLY & INSTALLATION OF DOUBLE BEAM UV-VIS SPECTROPHOTOMETER AT CENTRAL UNIVERSITY OF IHARKHAND, RANCHI"

Sl. No.	Name of Items	Quantity/ Duration	Make/ Model	Unit Rate/ Annual Rate for AMC	GST or any Taxes as applicable	Total
1.	Double Beam UV-VIS Spectrophotometer	01 No.				
	Personal Computer	01 No.				
	Printer (color)	01. No.				
	UPS	01 No.				
2.	Grand Total					
	(Inclusive of all taxes)					
	(in Words)	ords)				
3.	AMC Rate*	03/05 years				

#### Note:

- (a) The Firm/Agency must quote unit rate.
- (b) Order shall be placed on the party who quotes over all lowest **Grand Total** (Inclusive of all taxes).
- (c) In case of confusion of unit rate against total price, unit rate will prevail forevaluation
- (d) In case of confusion in word and figures in quoted rate / total price of any item, rate / total price quoted in words will prevail. Similarly in case of confusion in word and figures in overall price, price quoted in words will prevail.
- (e) The quantity of mentioned above items may be increase / decrease as per the requirement of the University.
- \* The rate quoted for AMC will not be considered for selection of successful lowest bidder (L-1) but will constitute the basis of further AMC contract, if required by the university and will be binding on the supplier to comply with it for the duration of at least 03/05 years after warrantee period.

(Signature of the Bidder with stamp of Firm with Date)

#### NATIONAL ELECTRONIC FUNDS TRANSFER (NEFT) - MANDATE FORM

Name of Account holder:	
Bank Name:	
Bank Branch Address:	<del>-</del>
Account Type: Savings/Current/Cash Credit/NRI	
Account No(Bank account number should be written from left to right)	
IFS Code:	
MICR Code. :	
Bank Registered Mobile number:	
Bank Registered E-Mail Id:	
	Signature of the Account holder
	Signature of the Account holder
	Date:
Sure:-	
	Name of Account holder:

#### E

Cancelled cheque leaf (a)

0r

if cheque is not having the name of bank holder then Photo copy of the page of Bank pass book containing details of Bank accounts number, IFS code etc.

#### **DECLARATION BY THE BIDDER**

(To be executed & attested by Public Notary / Executive Magistrate on Non-Judicial Stamp paper of Rs. 100/- by the bidder)
I/Wedo hereby declare following, that : -
1. The firm/ company namely M/s has not been blacklisted or debarred in the past by Central / State Government or Central / State Government funded/ governed/ controlled organization from taking part in any Government tenders in India.
2. Neither myself nor any of my family members are employee of the Central University of Jharkhand.
3. I/ We do accept all the terms and conditions of the tender documents towards "Tender for supply and installation of Double Beam UV-VIS Spectrophotometer at Central University of Jharkhand, Ranchi".
4. I/We have not involved in any litigation/ arbitration with Central / State Government or Central / State Government funded/ governed/ controlled organization at present or during the last five years. (if yes, the details or parties concerned and disputed amount are as follows:).
5. All services shall be performed by persons qualified and experienced in performing such services.
6. I/We shall be available to contact at all times (24 X 07 Hrs a day) and message sent by WhatsApp, SMS, Email, Fax or any Special Messenger from University to the supplier shall be acknowledged immediately on receipt on the same day.
7. I/We shall not engaged an Agent or paid commission or influenced any person to obtain the contract as described in clauses relating to Agents/Agency Commission and penalty for use of undue influence, the firm/agency on a specific request of the University, shall provide necessary information/ inspection of the relevant financial documents/information.
8. The information furnished in the Technical bid is true, complete and correct to the best of my knowledge and belief, I undertake that in the event of any information being found fake or false at any stage, my tender/ order shall be liable to be cancelled / terminated without any notice or compensation in lieu thereof shall be given.
9. In case the above information found false, I / We are fully aware that the tender/order/ contract will be rejected/ cancelled by the Central University of Jharkhand, Bid Security / Performance Security shall be forfeited and will be debarred from any future tendering process for a period <b>upto 03 Years</b> . Pay the penalty as fixed by the University in addition to forfeiture of the performance guarantee for causing administrative inconvenience to the University.
10. The University may also initiate the process of blacklisting our firm/agency for the breach of contract. In addition to the above, Central University of Jharkhand, will not be responsible to pay the bills for any completed/partially supplied items/ work.
Deponent
<u>Witness</u> :- 1
NameAddress
Attested:

(Public Notary / Executive Magistrate)

#### FORMAT OF BANK GUARANTEE FORM

- This guarantee should be furnished by a Nationalized Bank / Scheduled Bank, authorized by RBI to issue a Bank Guarantee.
- This bank guarantee should be furnished on **stamp paper of Rs. 100/-**
- The stamp paper should have been purchased in the Name of the Bank executing the Guarantee.
- In the case of foreign bidder, the B.G may be furnished by an international reputed bank acceptable to the Purchaser countersigned by any Nationalized / Scheduled Bank in India authorized by Reserve Bank of India.

\_\_\_\_\_\_

#### PERFORMANCE BANK GUARANTEE

1. Whereas M/s having its registered office at hereinafter
called "the Supplier" for the,in consideration of the Central University of Jharkhand, Ranchi
(hereinafter called "CUJ") P.O. No. CUJ / dated placed an order for the due fulfilment by
the said supplier of the terms and conditions in the supply order, on production of a Bank Guarantee for
RsBank, (Rein after referred to as "the Bank") at
the request of supplier do hereby undertake to pay to the CUJ an amount on exceeding to Rs
(Rupeesonly).
2. We
this guarantee without any demur, merely on a demand from CUJ stating that the amount claimed is
required to meet the recoveries due or likely to be due from the said supplier. Any such demand made on
the Bank shall be conclusive as regards the amount due and payable by the Bank under the guarantee
However, our liability under this guarantee shall be restricted to an amount not exceeding to Rs
(Rupeesonly)

- 3. We undertake to pay to the CUJ any money so demanded notwithstanding any dispute or disputes raised by the supplier in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid and discharge of our liability for payment there under and the Supplier shall have no claim against us for making such payment.
- 4. We the Bank further agree that the guarantee herein contained shall remain in full force and affect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the CUJ under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till Registrar on behalf of the CUJ certified that the terms and conditions of the said Agreement have been fully and properly carried out by the said and accordingly discharges this guarantee.

6.	This guarantee will not be discharged due to change in the constitution of the bank or the supplier.			
7.	7. We, the Bank lastly undertakes not to revoke this guarantee except with the previous consent of the CUJ in writing.			
8. menti (Rupe	This guarantee shall be valid upto unless extended on demand by CUJ. Notwithstanding anything oned above, our liability against this guarantee is restricted to Rsonly).			
<u>Notwi</u>	thstanding anything contained herein			
1. (Rupe	Our liability under this bank guarantee shall not exceed Rsonly)			
2.	Bank guarantee shall be valid upto			
3. only if	We are liable to pay the guaranteed amount or part thereof under this bank guarantee only and f you serve upon us a written claim or demand on or before			
Dated	l: Signature & Seal of the Bank			
Note:	The above format contains specific clauses and expressions. These clauses and expressions can			

**Note**: The above format contains specific clauses and expressions. These clauses and expressions can vary depending upon the nature / type of agreement and situation. Basic aspect to be kept in mind is that interest of CUJ is fully protected.

#### **Bid Securing Declaration Form**

#### (Letter head of Firm/ Agency)

Date	Tender No
To The Registrar Central Unive Cheri- Manatu Ranchi – 835 2	
We, the under	signed, declare that:
	(herein referred as bidder) understand that, according to bid ay be supported with a Bid Securing Declaration, bidder render the declaration that:-
Central Unive	atomatically be suspended from being eligible for bidding in any contract with the rsity of Jharkhand (herein referred as Purchaser) <b>for the period of one year,</b> starting sion closing date, if bidder are in breach of any of the following obligation(s) under the s:-
(a) (b) (c) (d) (e)	The bidder fails to supply the ordered item as per the supply/ purchase order, or In the event of withdrawal of offer during the validity period, or Non-confirmation of acceptance of the letter of intent/ purchase order within the stipulated time after issue of the letter of intent/ work order by the University, or The successful bidder fails to furnish the required Performance Security <b>within 30 days</b> on receipt of notification of award of work order from the University, or The bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of the tender
	stand that this declaration shall expire, if Bidder is not the successful bidder and on chaser's notification of the award to another Bidder; or 45 days after the validity of the r is later.
	(Signature) Authorized Signatory Name :
	Designation :
	Office Seal :
	Place :
	Date :

#### **CERTIFICATE OF WARRANTY**

(To be given on Company Letter Head)

1.	I / We,	, certify that the Comprehensive Warranty shall be for a
period	of <u><b>02</b> year</u> (as	applicable) starting from the date of satisfactory supply and installation of
Double	Beam UV-VIS	Spectrophotometer at Central University of Jharkhand, Ranchi and of the
works	conducted there	vith covered under the Supply order. During the warranty period, I/we shall
provide	e free "after sale	service/ support" and the replacement of any part(s) of the equipment or
rectific	ation of defects	of work of the equipment will be free of cost. The replacement of the parts
shall b	e arranged by u	s, at our own cost and responsibility. The benefit of change in dates of the
warran	ity period shall b	e in the interest of the user/your organization.

- 2. We shall try to repair the Double Beam UV-VIS Spectrophotometer at University premises itself. However, the Double Beam UV-VIS Spectrophotometer will be taken to our site on our own expenses in case it is not possible to repair the same at University premises. We shall take the entire responsibility for the safe custody and transportation of the Double Beam UV-VIS Spectrophotometer taken out for repairs till the Double Beam UV-VIS Spectrophotometer is rehabilitated to the University after repair. Any loss of Double Beam UV-VIS Spectrophotometer or its accessories under its charge on account of theft, fire or any other reasons shall be at our sole risk and responsibility which will be compensated to University for such losses.
- 3. We warranty that in case we fail to carry out the maintenance within the stipulated period, University reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs/maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of Performance Bank Guarantee, the same shall be recoverable from us with/without interest in accordance with the circumstances. We also warranty that in case we fail to carry out the maintenance within the stipulated period, we shall provide same/ similar equipment for seamless execution of University function for the period of maintenance.
- 4. We undertake to perform calibration after every major repair/ breakdown/ taking the Double Beam UV-VIS Spectrophotometer for repair out of University premises.
- 5. We warranty the entire unit against defects of manufacture, workmanship and poor quality of components.
- 6. We warranty that we will supply spare parts if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.
- 7. We shall warranty that any Material supplied hereunder shall conform to the generally recognized manufacturing and safety standards of the Vendor's industry as per Indian Standard Institution (ISI)/ Indian Standard (IS) or similar standard. The Vendor's specifications on performance as detailed in the Vendor's brochures, sales literature and other specifications as may be available to the university.
- 8. We warranty to the effect that before going out of production of spare parts, we will give adequate advance notice to you so that you may undertake to procure the balance of the life time

requirements of spare parts.

- 9. We warranty the entire unit against defects of manufacture, workmanship and poor quality of components.
- 10. Section VI (para 03) of General Condition of Contract shall also form part of the warranty terms and conditions.
- 11. Rights granted to the University in this article entitled WARRANTIES are in addition to any other rights or remedies provided elsewhere in this order or in Law.

(Signature of the Tenderer with stamp of firm with Date)

#### TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

	j
To, The Registrar Central University of Jharkhand Brambe, Ranchi – 835 205	
Sub: Acceptance of Terms & Conditions of Tender.	
Reference No. :	
Name of Tender / Work:	
Sir/Madam,	
1. I/ We have downloaded / obtained the tender document(s) for the above "Tender/Work" from the web site(s) namely:	
2. I / We hereby certify that I / we have read the entire terms and conditions documents from Page No (including all documents like annexure(s) etc.,), which form part of the contract agreement and I / we shall abide hereby by conditions / clauses contained therein.  3. The corrigendum(s) issued from time to time by your department/ organis also been taken into consideration, while submitting this acceptance letter.  4. I / We hereby unconditionally accept the tender conditions of above ment document(s) /corrigendum(s) in its totality / entirety.  5. I / We do hereby declare that our Firm has not been blacklisted/ debarred Department/ Public sector undertaking.  6. I / We certify that all information furnished by the our Firm is true & correevent that the information is found to be incorrect/untrue or found violated, then your organisation shall without giving any notice or reason therefore or summarily rejeterminate the contract, without prejudice to any other rights or remedy including the full said earnest money deposit absolutely.	tioned tender by any Govt. ect and in the department/
You	urs Faithfully,
(Signature of the Bidder, with	Official Seal)